


BHS-Series

φ2.34柄-鑽石雕刻針
Diamond Engraving Burrs



Shank: φ 2.34mm / Length:45~50mm



BHS-10
10 pcs/set

型號 Model No.	BH160E	BH60Q	BH60R	BH30A	BH25K	BH25J	BH25F	BH30V	BH15P	BH20B
刃徑 φD	16	6.0	6.0	3.0	2.5	2.5	2.5	2.5	1.5	2.0
刃長 T	0.5	10	14	15	10	10	6	45°	10	-
長度 L	50	50	50	50	50	50	45	45	45	45
單價 Price										

BHS-20
20 pcs/set

型號 Model No.	BH11A	BH14A	BH19A	BH24A	BH27A	BH32A	BH14C	BH19C	BH18P	BH24P
刃徑 φD	1.1	1.4	1.9	2.4	2.7	3.2	1.4	1.9	1.8	2.4
刃長 T	7	7	7	7	7	7	7	7	10	12
長度 L	45	45	45	45	45	45	45	45	45	45
單價 Price										

型號 Model No.	BH20B	BH24B	BH35B	BH14T	BH19T	BH26T	BH34S	BH30Y	BH17J	BH42P
刃徑 φD	2.0	2.4	3.5	1.4	1.9	2.6	3.4	3.0	1.7	4.2
刃長 T	-	-	-	7	7	7	6	-	10	6
長度 L	45	45	45	45	45	45	45	45	45	45
單價 Price										

BHS-030


φ2.34柄-鑽石雕刻針
Diamond Engraving Burrs



Shank: φ 2.34mm / Length:45mm



適用於金屬、玻璃等物品研磨修整用。
Shorter shank diamond burrs designed for use in the friction grip highspeed handpiece when easier access is required.
Used for contouring, carving, and finishing thin margins of porcelain and metal frame work.



30 pcs/set

型號 Model No.	BH11A	BH14A	BH19A	BH24A	B27A	BH32A	BH39A	BH49A	BH14R	BH24R
刃徑 φD	1.1	1.4	1.9	2.4	2.7	3.2	3.9	4.9	1.4	2.4
刃長 T	7	7	7	7	7	7	10	10	10	13
長度 L	45	45	45	45	45	45	45	45	45	45
單價 Price										

型號 Model No.	BH20B	BH24B	BH30B	BH35B	BH39B	BH14C	BH19C	BH29C	BH39C	BH49C
刃徑 φD	2.0	2.4	3.0	3.5	3.9	1.4	1.9	2.9	3.9	4.9
刃長 T	-	-	-	-	-	7	7	7	10	10
長度 L	45	45	45	45	45	45	45	45	45	45
單價 Price										

型號 Model No.	BH18P	BH24P	BH29P	BH42P	BH14T	BH19T	BH26T	BH30S	BH30Y	BH17J
刃徑 φD	1.8	2.4	2.9	4.2	1.4	1.9	2.6	3.0	3.0	1.7
刃長 T	10	12	14	6	7	7	7	6	-	10
長度 L	45	45	45	45	45	45	45	45	45	45
單價 Price										

B
鑽石銼刀
鑽石磨棒
鑽石砂輪
鑽石修刀
鑽石膏
超級鑽石
錫鋼刀
毛刷
羊毛輪
拋磨工具
電動工具
氣動工具
15



B
鑽石銼刀
鑽石磨棒
鑽石砂輪
鑽石修刀
鑽石膏
超級鑽石
錫鋼刀
毛刷
羊毛輪
拋磨工具
電動工具
氣動工具
16

BH-Series


φ2.34柄-鑽石雕刻針 Diamond Engraving Burrs




Shank: φ 2.34mm / Length: 45mm




型號 Model No.	D1	D2	D3	D4	A11	A12	A13	A21	A30	7A	8A
刃徑 φD	1	2	3	4	1	1.5	1.5	2.5	3	7	8
刃長 T	-	-	-	-	5	5	7	7	7	6	10
長度 L	45	45	45	45	45	45	45	45	45	45	45
單價 Price											



型號 Model No.	A20	A31	A14	TR	1R	KS	RZ	3A	5A	6A	2LB
刃徑 φD	2.5	3	2.5	1.5	1.5	3.5	4	3	4	5	2.5
刃長 T	7	7	7	8	10	6	6	10	10	10	10
長度 L	45	45	45	45	45	45	45	45	45	45	45
單價 Price											



型號 Model No.	T11	T12	T13	T30	1A	2A	2LA	12BA	14BA	16BA	19BA
刃徑 φD	1	1.5	2	3	2	2.5	2.5	4	6	10	12
刃長 T	4	4	4	4	8	12	10	-	-	-	-
長度 L	45	45	45	45	45	45	45	45	45	45	45
單價 Price											




型號 Model No.	1LR	2R	2LR	3R	5R	6R	7R	8R	C3	C13	C23
刃徑 φD	1.5	2	2.5	3	4	5	7	8	0.9	1.5	2
刃長 T	10	12	12	12	12	12	12	12	4	10	10
長度 L	45	45	45	45	45	45	45	45	45	45	45
單價 Price											

BH-Series


φ2.34柄-鑽石雕刻針 Diamond Engraving Burrs




Shank: φ 2.34mm / Length: 45mm




型號 Model No.	10B	12B	13B	14B	16B	16BB	16BC	13NK
刃徑 φD	2.7	4	5	6	10	10	10	5
刃長 T	-	-	-	-	5	5	7	7
長度 L	45	45	45	45	45	45	45	45
單價 Price								



型號 Model No.	RT	10X	17X	18X	19X	23X	10BN	12BN	13BN
刃徑 φD	5	1.8	4	6	10	16	2.5	4	5
刃長 T	7	0.5	0.8	1	1.6	2	-	-	-
長度 L	45	45	45	45	45	45	45	45	45
單價 Price									



型號 Model No.	K25	K30	K35	K45	K50	K55	K60	20MA
刃徑 φD	4	5	6	10	10	12	12	20
刃長 T	0.4	0.6	0.5	0.5	1	0.6	1	3.5
長度 L	45	45	45	45	45	45	45	45
單價 Price								



型號 Model No.	13MB	16MC	16MB	10MA	13MA	16MA	88D	88C	88A
刃徑 φD	13	16	16	10	13	16	22	22	22
刃長 T	2.5	2.5	3.5	2.5	3.5	3.5	0.45	0.35	0.45
長度 L	45	45	45	45	45	45	45	45	45
單價 Price									

鑽石雕刻針 - 柄徑φ2.34mm 適用於木質、纖維、塑膠、金屬等精細雕刻用

These small engraving cutters are ideal for power engraving intricate details in wood, fiber, plastic and soft materials. All φ 2.34mm shanks.

BM-Series

φ3柄-鑽石與氮化硼磨棒
Diamond & CBN Mounted Points



Shank: φ3.0mm / Length:45mm



30 pcs/set

型號 Model No.	10A	15A	20A	25A	30A	35A	40A	50A	60A	80A	20T	30T
刃徑 φD	1.0	1.5	2.0	2.5	3.0	3.5	4.0	5.0	6.0	8.0	2.0	3.0
刃長 T	8	8	8	8	10	10	10	10	10	10	10	10
單價 Price												

型號 Model No.	10B	15B	20B	25B	30B	40B	50B	60B	80B	15R	20R	30R
刃徑 φD	1.0	1.5	2.0	2.5	3.0	4.0	5.0	6.0	8.0	1.5	2.0	3.0
刃長 T	1	1.5	2	2.5	3	4	5	6	8	12	12	14
單價 Price												

型號 Model No.	10C	15C	20C	25C	30C	35C	40C	50C	60C	20P	30P	60P	30V
刃徑 φD	1.0	1.5	2.0	2.5	3.0	3.5	4.0	5.0	6.0	7°	10°	26°	3.0
刃長 T	8	8	8	8	10	10	10	10	10	12	15	13	10
單價 Price													

型號 Model No.	20F	30F	40F	50F	60F	30J	40J	50J	60J	50G	60G	30Q	60Q
刃徑 φD	2.0	3.0	4.0	5.0	6.0	3.0	4.0	5.0	6.0	5.0	6.0	3.0	6.0
刃長 T	10	10	10	10	10	15	13	13	13	12	12	5	10
單價 Price													

BM-Series


φ3柄-鑽石與氮化硼磨棒
Diamond & CBN Mounted Points



Shank: φ3.0mm / Length:45mm



光滑的切口表面，適用高速鑽頭。
適用在碳化物、陶瓷、青玉、玻璃、堅硬合金等
精密小孔研磨
Smooth cutting surface, high drilling speed.
Used for precision grinding of small holes in
carbide, ceramics, sapphires, glass and extra
hard alloys.



30 pcs/set

型號 Model No.	6010U	6020U	6030U	6040U	6010E	6015E	6020E	30X	30Y	30Z	30S	60S
刃徑 φD	6.0	6.0	6.0	6.0	6.0	6.0	6.0	3.0	3.0	3.3	3.0	6.0
刃長 T	1	2	3	4	1	1.5	2	6	5	6	6	10
單價 Price												

型號 Model No.	60M	80M	130M	60W	80W	130W	1310H	1315H
刃徑 φD	6.0	8.0	13	6.0	8.0	13	13	13
刃長 T	3.5	3.5	3.5	3.5	3.5	3.5	1.0	1.5
單價 Price								

型號 Model No.	1310U	1315U	1320U	1325U	1330U	1335U	1340U	1345U
刃徑 φD	13	13	13	13	13	13	13	13
刃長 T	1	1.5	2.0	2.5	3	3.5	4	4.5
單價 Price								

型號 Model No.	1310E	1315E	1320E	1325E	1330E	1335E	1340E	1345E
刃徑 φD	13	13	13	13	13	13	13	13
刃長 T	1	1.5	2.0	2.5	3	3.5	4	4.5
單價 Price								

B 鑽石銼刀 鑽石磨棒 鑽石砂輪 鑽石修刀 鑽石膏 超級油石 錫鋼刀 毛刷 羊毛輪 拋磨工具 電動工具 氣動工具 19

B 鑽石銼刀 鑽石磨棒 鑽石砂輪 鑽石修刀 鑽石膏 超級油石 錫鋼刀 毛刷 羊毛輪 拋磨工具 電動工具 氣動工具 20

BC-Series

φ6柄-鑽石磨棒
Diamond Mounted Points




Shank: φ6.0mm / Length:60mm Grit Size:#40, #60, #100 available.

新品



BC-10 Standard Package: 10pcs/set


Contains one each of marking * :
BC80B, 80V, 100E, 65C, 80A, 80P, 80T, 65F, 80F, 65R



型號 Model No.	BC-65A	BC-80A*	BC-100A	BC-101A	BC-102A	BC-180A	BC-200A
刃徑 φD	6.5	8	10	10	10	18	20
刃長 T	15	15	19	10	32	26	12
單價 Price							



型號 Model No.	BC-80B*	BC-100B	BC-160B	BC-200B	BC-65F*	BC-80F*	BC-100F
刃徑 φD	8	10	16	20	6.5	8	10
刃長 T	8	10	16	20	22	15	19
單價 Price							



型號 Model No.	BC-60C	BC-65C*	BC-80C	BC-100C	BC-65J	BC-70J	BC-100J
刃徑 φD	6	6.5	8	10	6.5	7	10
刃長 T	32	15	15	19	21	35	19
單價 Price							




型號 Model No.	BC-100E*	BC-120E	BC-200E	BC-250E	BC-100K	BC-140K	BC-160K
刃徑 φD	10	12	20	25	10	14	16
刃長 T	1.2	2	1.5	2	38	18	18
單價 Price							

BC-Series

φ6柄-鑽石磨棒
Diamond Mounted Points



Shank: φ6.0mm / Length:60mm Grit Size:#40, #60, #100 available.



鑽石帶柄磨棒能廣泛運用在電/氣動手工具上
Mounted points wheels can be used on a wide range of pneumatics, electric and flexible drive tools.

新品



型號 Model No.	BC-50P	BC-60P	BC-80P*	BC-100P	BC-55H	BC-80T*	BC-100N
刃徑 φD	5	6	8	10	5.5	8	10
刃長 T	20	15	15	20	17	15	9
單價 Price							



型號 Model No.	BC-80V*	BC-81V	BC-120V	BC-140V	BC-160V	BC-200V	BC-250V
刃徑 φD	8	8	12	14	16	20	25
刃長 T	5	10	15	18	5	6	7
單價 Price							



型號 Model No.	BC-150Y	BC-170Y	BC-200Y	BC-250Y	BC-130H	BC-170H	BC-100G	BC-65R*
刃徑 φD	15	17	20	25	13	17	10	6.5
刃長 T	9	10	8	8	10	11	26	25
單價 Price								



型號 Model No.	BC-60Q	BC-90Q	BC-100Q	BC-120Q	BC-150Q	BC-200X	BC-120U	BC-250U
刃徑 φD	6	9	10	12	15	20	12	25
刃長 T	13	18	16	25	29	4	2	5
單價 Price								

Customer's Package upon request.

B 鑽石銼刀 鑽石磨棒 鑽石砂輪 鑽石修刀 鑽石膏 超級油石 錫鋼刀 毛刷 羊毛輪 拋磨工具 電動工具 氣動工具 21



B 鑽石銼刀 鑽石磨棒 鑽石砂輪 鑽石修刀 鑽石膏 超級油石 錫鋼刀 毛刷 羊毛輪 拋磨工具 電動工具 氣動工具 22

BID-Series

φ3柄-鑽石內孔研磨砂輪 Diamond Internal Grinding Wheels



Shank: φ 3.0mm / Length: 45-50mm SKD 11



Unit:mm

型號 Model No.	刃徑 φD	刃長 T	頸長 N	長度 L	柄徑 φB	粒度 Grit Size				單價 Price
						#100	#150	#200	#400	
BID-3004	0.4	3	5	45	3.0	-	-	-	●	
BID-3005	0.5	3	5	45	3.0	-	-	-	●	
BID-3006	0.6	3	5	45	3.0	-	●	●	●	
BID-3007	0.7	3	8	45	3.0	-	●	●	●	
BID-3008	0.8	3	8	45	3.0	-	●	●	●	
BID-3009	0.9	5	12	45	3.0	-	●	●	●	
BID-3010	1.0	5	12	45	3.0	●	●	●	●	
BID-3011	1.1	5	12	45	3.0	●	●	●	●	
BID-3012	1.2	5	12	45	3.0	●	●	●	●	
BID-3013	1.3	5	12	45	3.0	●	●	●	●	
BID-3014	1.4	5	12	45	3.0	●	●	●	●	
BID-3015	1.5	5	12	45	3.0	●	●	●	●	
BID-3016	1.6	5	12	45	3.0	●	●	●	●	
BID-3017	1.7	5	12	45	3.0	●	●	●	●	
BID-3018	1.8	5	12	45	3.0	●	●	●	●	
BID-3019	1.9	5	12	45	3.0	●	●	●	●	
BID-3020	2.0	5	12	45	3.0	●	●	●	●	
BID-3021	2.1	5	12	45	3.0	●	●	●	●	
BID-3022	2.2	5	12	45	3.0	●	●	●	●	
BID-3023	2.3	5	15	45	3.0	●	●	●	●	
BID-3024	2.4	5	15	45	3.0	●	●	●	●	
BID-3025	2.5	5	15	45	3.0	●	●	●	●	
BID-3026	2.6	5	15	45	3.0	●	●	●	●	
BID-3027	2.7	5	15	45	3.0	●	●	●	●	
BID-3028	2.8	5	15	45	3.0	●	●	●	●	
BID-3029	2.9	5	-	45	3.0	●	●	●	●	
BID-3030	3.0	5	-	45	3.0	●	●	●	●	
BID-3031	3.1	5	-	45	3.0	●	●	●	●	
BID-3032	3.2	5	-	45	3.0	●	●	●	●	
BID-3033	3.3	5	-	45	3.0	●	●	●	●	
BID-3034	3.4	5	-	45	3.0	●	●	●	●	
BID-3035	3.5	5	-	45	3.0	●	●	●	●	
BID-3040	4.0	5	-	50	3.0	●	●	●	●	
BID-3045	4.5	5	-	50	3.0	●	●	●	●	
BID-3050	5.0	8	-	50	3.0	●	●	●	●	
BID-3055	5.5	8	-	50	3.0	●	●	●	●	
BID-3060	6.0	8	-	50	3.0	●	●	●	●	
BID-3065	6.5	8	-	50	3.0	●	●	●	●	
BID-3070	7.0	8	-	50	3.0	●	●	●	●	
BID-3075	7.5	8	-	50	3.0	●	●	●	●	

φ6柄-鑽石內孔研磨砂輪

Diamond Internal Grinding Wheels



Shank: φ 6.0mm / Length: 80mm SKD 11



鑽石內孔磨棒是由精密鋼材製成，
主要運用在夾具上研磨碳化鎢使用


Diamond mandrels are made from a single piece of steel and are hardened for maximum rigidity to best meet your application need. The diamond mandrels are utilized primarily for jig grinding of carbide tooling.

Unit:mm

型號 Model No.	刃徑 φD	刃長 T	頸長 N	長度 L	柄徑 φB	粒度 Grit Size				單價 Price
						#100	#150	#200	#400	
BID-6020	2.0	10	30	80	6.0	●	●	●	●	
BID-6025	2.5	10	30	80	6.0	●	-	-	-	
BID-6030	3.0	10	30	80	6.0	●	●	●	●	
BID-6035	3.5	10	30	80	6.0	●	-	-	-	
BID-6040	4.0	10	30	80	6.0	●	●	●	●	
BID-6045	4.5	10	30	80	6.0	●	-	-	-	
BID-6050	5.0	10	30	80	6.0	●	●	●	●	
BID-6055	5.5	10	30	80	6.0	●	-	-	-	
BID-6060	6.0	10	30	80	6.0	●	●	●	●	
BID-6065	6.5	10	30	80	6.0	●	-	-	-	
BID-6070	7.0	10	-	80	6.0	●	●	●	●	
BID-6075	7.5	10	-	80	6.0	●	-	-	-	
BID-6080	8.0	10	-	80	6.0	●	●	●	●	
BID-6085	8.5	10	-	80	6.0	●	-	-	-	
BID-6090	9.0	10	-	80	6.0	●	●	●	●	
BID-6095	9.5	10	-	80	6.0	●	-	-	-	
BID-6100	10.0	10	-	80	6.0	●	●	●	●	
BID-6105	10.5	10	-	80	6.0	●	-	-	-	
BID-6110	11.0	10	-	80	6.0	●	●	●	●	
BID-6115	11.5	10	-	80	6.0	●	-	-	-	
BID-6120	12.0	10	-	80	6.0	●	●	●	●	
BID-6125	12.5	10	-	80	6.0	●	-	-	-	
BID-6130	13.0	10	-	80	6.0	●	●	●	●	
BID-6135	13.5	10	-	80	6.0	●	-	-	-	
BID-6140	14.0	10	-	80	6.0	●	●	●	●	
BID-6145	14.5	10	-	80	6.0	●	-	-	-	
BID-6150	15.0	10	-	80	6.0	●	●	●	●	
BID-6155	15.5	10	-	80	6.0	●	-	-	-	
BID-6160	16.0	10	-	80	6.0	●	●	●	●	
BID-6165	16.5	10	-	80	6.0	●	-	-	-	
BID-6170	17.0	10	-	80	6.0	●	●	●	●	
BID-6175	17.5	10	-	80	6.0	●	-	-	-	
BID-6180	18.0	10	-	80	6.0	●	●	●	●	
BID-6200	20.0	10	-	80	6.0	●	●	●	●	


BID-Series

鑽石內孔研磨棒-長柄 Diamond Internal Grinding Wheels



Shank: φ 3.0mm / Length: 50mm SKD 11

型號 Model No.	刃徑 φD	刃長 T	頸長 N	長度 L	柄徑 φB	粒度 Grit Size			單價 Price
						#100	#200	#400	
BID-3010L	1.0	5	20	50	3	●	●	●	
BID-3012L	1.2	5	20	50	3	●	●	●	
BID-3015L	1.5	5	20	50	3	●	●	●	
BID-3016L	1.6	5	20	50	3	●	●	●	
BID-3018L	1.8	5	20	50	3	●	●	●	
BID-3020L	2.0	5	20	50	3	●	●	●	
BID-3022L	2.2	5	25	50	3	●	●	●	
BID-3025L	2.5	5	25	50	3	●	●	●	
BID-3028L	2.8	5	25	50	3	●	●	●	
BID-3030L	3.0	5	25	50	3	●	●	●	




Shank: φ 6.0mm / Length: 100mm SKD 11

型號 Model No.	刃徑 φD	刃長 T	頸長 N	長度 L	柄徑 φB	粒度 Grit Size	單價 Price
						#100	
BID-6030L	3.0	15	30	100	6	●	
BID-6040L	4.0	15	30	100	6	●	
BID-6050L	5.0	15	30	100	6	●	
BID-6060L	6.0	15	30	100	6	●	
BID-6070L	7.0	15	-	100	6	●	
BID-6080L	8.0	15	-	100	6	●	
BID-6090L	9.0	15	-	100	6	●	
BID-6100L	10.0	15	-	100	6	●	
BID-6110L	11.0	15	-	100	6	●	
BID-6120L	12.0	15	-	100	6	●	


BIB-Series

氮化硼內孔研磨棒-長柄 CBN Internal Grinding Wheels



Shank: φ 3.0mm / Length: 50mm SKD 11

型號 Model No.	刃徑 φD	刃長 T	頸長 N	長度 L	柄徑 φB	粒度 Grit Size			單價 Price
						#100	#200	#400	
BIB-3010L	1.0	5	20	50	3	●	●	●	
BIB-3012L	1.2	5	20	50	3	●	●	●	
BIB-3015L	1.5	5	20	50	3	●	●	●	
BIB-3016L	1.6	5	20	50	3	●	●	●	
BIB-3018L	1.8	5	20	50	3	●	●	●	
BIB-3020L	2.0	5	20	50	3	●	●	●	
BIB-3022L	2.2	5	25	50	3	●	●	●	
BIB-3025L	2.5	5	25	50	3	●	●	●	
BIB-3028L	2.8	5	25	50	3	●	●	●	
BIB-3030L	3.0	5	25	50	3	●	●	●	



Shank: φ 6.0mm / Length: 100mm SKD 11


型號 Model No.	刃徑 φD	刃長 T	頸長 N	長度 L	柄徑 φB	粒度 Grit Size	單價 Price
						#100	
BIB-6030L	3.0	15	30	100	6	●	
BIB-6040L	4.0	15	30	100	6	●	
BIB-6050L	5.0	15	30	100	6	●	
BIB-6060L	6.0	15	30	100	6	●	
BIB-6070L	7.0	15	-	100	6	●	
BIB-6080L	8.0	15	-	100	6	●	
BIB-6090L	9.0	15	-	100	6	●	
BIB-6100L	10.0	15	-	100	6	●	
BIB-6110L	11.0	15	-	100	6	●	
BIB-6120L	12.0	15	-	100	6	●	

BIB-Series

φ3柄-氮化硼內孔研磨砂輪
CBN Internal Grinding Wheels



Shank: φ3.0mm / Length: 45~50mm SKD 11



Unit:mm

型號 Model No.	刃徑 φD	刃長 T	頸長 N	長度 L	柄徑 φB	粒度 Grit Size				單價 Price
						#100	#150	#200	#400	
BIB-3004	0.4	3	5	45	3.0	-	-	-	●	
BIB-3005	0.5	3	5	45	3.0	-	-	-	●	
BIB-3006	0.6	3	5	45	3.0	-	●	●	●	
BIB-3007	0.7	3	8	45	3.0	-	●	●	●	
BIB-3008	0.8	3	8	45	3.0	-	●	●	●	
BIB-3009	0.9	5	8	45	3.0	-	●	●	●	
BIB-3010	1.0	5	12	45	3.0	●	●	●	●	
BIB-3011	1.1	5	12	45	3.0	●	●	●	●	
BIB-3012	1.2	5	12	45	3.0	●	●	●	●	
BIB-3013	1.3	5	12	45	3.0	●	●	●	●	
BIB-3014	1.4	5	12	45	3.0	●	●	●	●	
BIB-3015	1.5	5	12	45	3.0	●	●	●	●	
BIB-3016	1.6	5	12	45	3.0	●	●	●	●	
BIB-3017	1.7	5	12	45	3.0	●	●	●	●	
BIB-3018	1.8	5	12	45	3.0	●	●	●	●	
BIB-3019	1.9	5	12	45	3.0	●	●	●	●	
BIB-3020	2.0	5	12	45	3.0	●	●	●	●	
BIB-3021	2.1	5	12	45	3.0	●	●	●	●	
BIB-3022	2.2	5	12	45	3.0	●	●	●	●	
BIB-3023	2.3	5	12	45	3.0	●	●	●	●	
BIB-3024	2.4	5	15	45	3.0	●	●	●	●	
BIB-3025	2.5	5	15	45	3.0	●	●	●	●	
BIB-3026	2.6	5	15	45	3.0	●	●	●	●	
BIB-3027	2.7	5	15	45	3.0	●	●	●	●	
BIB-3028	2.8	5	15	45	3.0	●	●	●	●	
BIB-3029	2.9	5	15	45	3.0	●	●	●	●	
BIB-3030	3.0	5	-	45	3.0	●	●	●	●	
BIB-3031	3.1	5	-	45	3.0	●	●	●	●	
BIB-3032	3.2	5	-	45	3.0	●	●	●	●	
BIB-3033	3.3	5	-	45	3.0	●	●	●	●	
BIB-3034	3.4	5	-	45	3.0	●	●	●	●	
BIB-3035	3.5	5	-	45	3.0	●	●	●	●	
BIB-3040	4.0	5	-	50	3.0	●	●	●	●	
BIB-3045	4.5	5	-	50	3.0	●	●	●	●	
BIB-3050	5.0	8	-	50	3.0	●	●	●	●	
BIB-3055	5.5	8	-	50	3.0	●	●	●	●	
BIB-3060	6.0	8	-	50	3.0	●	●	●	●	
BIB-3065	6.5	8	-	50	3.0	●	●	●	●	
BIB-3070	7.0	8	-	50	3.0	●	●	●	●	
BIB-3075	7.5	8	-	50	3.0	●	●	●	●	

BIB-Series

φ6柄-氮化硼內孔研磨砂輪
CBN Internal Grinding Wheels



Shank: φ6.0mm / Length: 80mm SKD 11



氮化硼內孔磨棒適用於高轉速沖子研磨機，
研磨粒度從#100~#400，有多種尺寸選擇

Our precision CBN mandrels are utilized
primarily for jig grinding of carbide tooling.
Best used for high-speed steel tooling.

Unit:mm

型號 Model No.	刃徑 φD	刃長 T	頸長 N	長度 L	柄徑 φB	粒度 Grit Size				單價 Price
						#100	#150	#200	#400	
BIB-6020	2.0	10	30	80	6.0	●	●	●	●	
BIB-6025	2.5	10	30	80	6.0	●	-	-	-	
BIB-6030	3.0	10	30	80	6.0	●	●	●	●	
BIB-6035	3.5	10	30	80	6.0	●	-	-	-	
BIB-6040	4.0	10	30	80	6.0	●	●	●	●	
BIB-6045	4.5	10	30	80	6.0	●	-	-	-	
BIB-6050	5.0	10	30	80	6.0	●	●	●	●	
BIB-6055	5.5	10	30	80	6.0	●	-	-	-	
BIB-6060	6.0	10	30	80	6.0	●	●	●	●	
BIB-6065	6.5	10	30	80	6.0	●	-	-	-	
BIB-6070	7.0	10	-	80	6.0	●	●	●	●	
BIB-6075	7.5	10	-	80	6.0	●	-	-	-	
BIB-6080	8.0	10	-	80	6.0	●	●	●	●	
BIB-6085	8.5	10	-	80	6.0	●	-	-	-	
BIB-6090	9.0	10	-	80	6.0	●	●	●	●	
BIB-6095	9.5	10	-	80	6.0	●	-	-	-	
BIB-6100	10.0	10	-	80	6.0	●	●	●	●	
BIB-6105	10.5	10	-	80	6.0	●	-	-	-	
BIB-6110	11.0	10	-	80	6.0	●	●	●	●	
BIB-6115	11.5	10	-	80	6.0	●	-	-	-	
BIB-6120	12.0	10	-	80	6.0	●	●	●	●	
BIB-6125	12.5	10	-	80	6.0	●	-	-	-	
BIB-6130	13.0	10	-	80	6.0	●	●	●	●	
BIB-6135	13.5	10	-	80	6.0	●	-	-	-	
BIB-6140	14.0	10	-	80	6.0	●	●	●	●	
BIB-6145	14.5	10	-	80	6.0	●	-	-	-	
BIB-6150	15.0	10	-	80	6.0	●	●	●	●	
BIB-6155	15.5	10	-	80	6.0	●	-	-	-	
BIB-6160	16.0	10	-	80	6.0	●	●	●	●	
BIB-6165	16.5	10	-	80	6.0	●	-	-	-	
BIB-6170	17.0	10	-	80	6.0	●	●	●	●	
BIB-6175	17.5	10	-	80	6.0	●	-	-	-	
BIB-6180	18.0	10	-	80	6.0	●	●	●	●	
BIB-6200	20.0	10	-	80	6.0	●	●	●	●	

B 鑽石銼刀 鑽石磨棒 鑽石砂輪 鑽石修刀 鑽石膏 超級油石 錫鋼刀 毛刷 羊毛輪 拋磨工具 電動工具 氣動工具


B 鑽石銼刀 鑽石磨棒 鑽石砂輪 鑽石修刀 鑽石膏 超級油石 錫鋼刀 毛刷 羊毛輪 拋磨工具 電動工具 氣動工具

BPD-Series

精密鑽石通孔磨棒
Diamond Perforate Points



新品
6支組
6pcs/Set





型號 Model No.	形狀尺寸 Shape Dimension Unit:mm	刃徑 D	柄徑 φB	長度 L	刃長 T	粒度 Grit Size #400	單價 Price
BPD-10V		1.0	0.9	150	35	●	
BPD-12V		1.2	1.1				
BPD-15V		1.5	1.4				
BPD-20V		2.0	1.9				
BPD-25V		2.5	2.4				
BPD-30V		3.0	2.9				
BPD-35V		3.5	3.4				
BPD-40V		4.0	3.9				
BPD-45V		4.5	4.4				
BPD-50V		5.0	4.9				
BPD-60V		6.0	5.9				
BPD-80V		8.0	7.9				

BRD-Series

φ6柄-R型鑽石磨棒
Round End Diamond Points

新品




型號 Model No.	刃徑 φD	R度 R°	刃長 T	頸長 N	長度 L	柄徑 φB	粒度 Grit Size #150	單價 Price
BRD-6030	3.0	1.5	10	25	80	6	●	
BRD-6040	4.0	2.0	10	25	80	6	●	
BRD-6050	5.0	2.5	10	25	80	6	●	
BRD-6060	6.0	3.0	10	25	80	6	●	
BRD-6070	7.0	3.5	10	-	80	6	●	
BRD-6080	8.0	4.0	10	-	80	6	●	
BRD-6090	9.0	4.5	10	-	80	6	●	
BRD-6100	10.0	5.0	15	-	80	6	●	
BRD-6110	11.0	5.5	15	-	80	6	●	
BRD-6120	12.0	6.0	15	-	80	6	●	

BIR-Series

樹脂法氮化硼內孔磨棒
Resinoid CBN Internal Points



新品




型號 Model No.	刃徑 φD	鑽石厚度 X	刃長 T	頸長 N	長度 L	柄徑 φB	粒度/Grit		單價 Price
							#150	#200	
BIR-3040	4.0	1.0	5	12	45	3		●	
BIR-3045	4.5	1.25	6	12	45	3		●	
BIR-3050	5.0	1.5	6	12	45	3		●	
BIR-6060	6.0	2.0	6	15	80	6	●		
BIR-6070	7.0	2.5	8	15	80	6	●		
BIR-6080	8.0	3.0	8	20	80	6	●		
BIR-6100	10.0	2.0	10	20	80	6	●		
BIR-6120	12.0	3.0	10	-	80	6	●		
BIR-6140	14.0	4.0	10	-	80	6	●		
BIR-6160	16.0	4.0	10	-	80	6	●		
BIR-6180	18.0	5.0	10	-	80	6	●		
BIR-6200	20.0	6.0	10	-	80	6	●		

BIV-Series

陶瓷法氮化硼內孔磨棒
Vitrified CBN Internal Points



型號 Model No.	刃徑 φD	鑽石厚度 X	刃長 T	頸長 N	長度 L	柄徑 φB	粒度/Grit		單價 Price
							#200		
BIV-3040	4.0	1.0	6	12	60	3		●	
BIV-3050	5.0	1.5	6	12	60	3		●	
BIV-3060	6.0	2.0	6	12	60	3		●	
BIV-3080	8.0	3.0	8	12	60	3		●	
BIV-6100	10.0	2.0	8	-	80	6		●	
BIV-6120	12.0	3.0	10	-	80	6		●	
BIV-6140	14.0	4.0	12	-	80	6		●	
BIV-6160	16.0	5.0	12	-	80	6		●	
BIV-6180	18.0	6.0	12	-	80	6		●	
BIV-8140	14.0	3.0	12	-	80	6		●	
BIV-8160	16.0	4.0	12	-	80	6		●	
BIV-8180	18.0	5.0	12	-	80	6		●	



型號 Model No.	外徑 φD	鑽石厚度 X	刃長 T	孔徑 φH	粒度/Grit #150	結合劑 Bond
D1606	16.0	2.5	12	6	●	BIR-樹脂法
D2010	20.0	2.5	12	10	●	
D2510	25.0	4.0	12	10	●	BIV-陶瓷法
D3010	30.0	5.0	12	10	●	