

# 鎢鋼滾磨刀 $\phi$ 3柄-Tungsten Carbide Rotary Burr


Shank:  $\phi$  3.0mm - Length: 38mm Overall Length



The wide variety of shapes and sizes offered is intended to fill the complete needs of anyone with requirement for high quality precision burs. Used for shaping, smoothing and removing hardened steel, stainless steels, fired ceramic, plastics, hardwoods.

高質量精確度的鎢鋼滾磨刀針對木材、塑料、陶瓷、硬化鋼、不鏽鋼或熱處理後的材料，提供各種不同形狀的刀削工具。

交叉紋、單斜紋



| 型號<br>Model No. | SA-41M | SA-42M | SA-43M | SB-43M | SC-41M | SC-42M | SD-41M | SD-42M |
|-----------------|--------|--------|--------|--------|--------|--------|--------|--------|
| 刀徑 $\phi$ D     | 1.5    | 2.5    | 3      | 3      | 2.5    | 3      | 2.5    | 3      |
| 刀長 T            | 6      | 11     | 14     | 14     | 14     | 14     | 2.5    | 3      |
| 全長 L            | 38     | 38     | 38     | 38     | 38     | 38     | 38     | 38     |
| 單價 NT \$        | 300    | 300    | 300    | 300    | 300    | 300    | 300    | 300    |

交叉紋、單斜紋



| 型號<br>Model No. | SE-41M | SF-41M | SF-42M | SG-41M | SG-43M | SG-44M | SH-41M |
|-----------------|--------|--------|--------|--------|--------|--------|--------|
| 刀徑 $\phi$ D     | 3      | 3      | 3      | 3      | 3      | 3      | 3      |
| 刀長 T            | 5.5    | 6      | 12     | 6      | 10     | 12     | 6      |
| 全長 L            | 38     | 38     | 38     | 38     | 38     | 38     | 38     |
| 單價 NT \$        | 300    | 300    | 300    | 300    | 300    | 300    | 300    |

交叉紋、單斜紋



| 型號<br>Model No. | SL-41M | SL-42M | SM-41M | SM-42M | SM-43M | SN-41M | SN-42M |
|-----------------|--------|--------|--------|--------|--------|--------|--------|
| 刀徑 $\phi$ D     | 3      | 3      | 3      | 3      | 3      | 2.5    | 3      |
| 刀長 T            | 5.5    | 12     | 8.7    | 11     | 16     | 3      | 4      |
| 全長 L            | 38     | 38     | 38     | 38     | 38     | 38     | 38     |
| 單價 NT \$        | 300    | 300    | 300    | 300    | 300    | 300    | 300    |

# 鎢鋼滾磨刀 $\phi 3$ 柄-Tungsten Carbide Rotary Burr

Shank:  $\phi 3.0\text{mm}$  - Length: 39~51mm Overall Length



交叉紋、單斜紋

| 型號<br>Model No. | SA-52M<br>SB-52M | SA-53M<br>SB-53M | SC-52M | SC-53M | SD-52M | SD-53M | SE-53M |
|-----------------|------------------|------------------|--------|--------|--------|--------|--------|
| 刀徑 $\phi D$     | 4                | 5                | 4      | 5      | 4      | 5      | 5      |
| 刀長 T            | 13               | 13               | 13     | 13     | 4      | 5      | 7.1    |
| 全長 L            | 39               | 39               | 39     | 39     | 39     | 39     | 39     |
| 單價 NT\$         | 800              | 800              | 800    | 800    | 800    | 800    | 800    |



交叉紋、單斜紋

| 型號<br>Model No. | SF-53M | SG-53M | SH-53M | SL-53M | SM-53M | SN-53M |
|-----------------|--------|--------|--------|--------|--------|--------|
| 刀徑 $\phi D$     | 5      | 5      | 5      | 5      | 5      | 5      |
| 刀長 T            | 13     | 13     | 13     | 13     | 13     | 6      |
| 全長 L            | 39     | 39     | 39     | 39     | 39     | 39     |
| 單價 NT\$         | 800    | 800    | 800    | 800    | 800    | 800    |



交叉紋、單斜紋

| 型號<br>Model No. | SA-51M | SA-51M/EC | SB-51M | SC-51M | SD-51M |
|-----------------|--------|-----------|--------|--------|--------|
| 刀徑 $\phi D$     | 6      | 6         | 6      | 6      | 6      |
| 刀長 T            | 12     | 12        | 4.7    | 12     | 6      |
| 全長 L            | 51     | 51        | 51     | 51     | 51     |
| 單價 NT\$         | 600    | 600       | 600    | 600    | 600    |



交叉紋、單斜紋

| 型號<br>Model No. | SE-51M | SF-51M | SG-51M | SM-51M | SN-51M |
|-----------------|--------|--------|--------|--------|--------|
| 刀徑 $\phi D$     | 6      | 6      | 6      | 6      | 6      |
| 刀長 T            | 9.5    | 12     | 12     | 12     | 6      |
| 全長 L            | 51     | 51     | 51     | 51     | 51     |
| 單價 NT\$         | 600    | 600    | 600    | 600    | 600    |

新發售



# 鎢鋼滾磨刀組-3柄

Tungsten Carbide Rotary Burr

Shank:  $\phi$  3.0mm - Length: 38mm Overall Length



高質量精確度的鎢鋼滾磨刀針對木材、塑料、陶瓷、硬化鋼、不鏽鋼或熱處理後的材料，提供各種不同形狀的刀削工具。



The wide variety of shapes and sizes offered is intended to fill the complete needs of anyone with requirement for high quality precision burs. Used for shaping, smoothing and removing hardened steel, stainless steels, fired ceramic, plastics, woods.



# 鎢鋼滾磨刀組-3柄

Tungsten Carbide Rotary Burr


SCA-210S

高質量精確度的鎢鋼滾磨刀針對木材、塑料、陶瓷、硬化鋼、不鏽鋼或熱處理後的材料，提供各種不同形狀的刀削工具。

Shank:  $\phi$  3.0mm - Length: 38mm



| 型號/Model No. | SA-41M | SA-42M | SA-43M | SB-43M | SC-41M | SC-42M | SD-42M | SE-41M | SF-41M | SF-42M | SG-41M | SG-43M | SG-44M | SH-41M | SL-41M | SL-42M | SM-41M | SM-42M | SM-43M | SN-41M | SN-42M |
|--------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 尺寸/SIZE      | 1.5    | 2.5    | 3      | 3      | 2.5    | 3      | 3      | 3      | 3      | 3      | 3      | 3      | 3      | 3      | 3      | 3      | 3      | 3      | 3      | 2.5    | 3      |
| 數量/QTY       | 10     | 10     | 10     | 10     | 10     | 10     | 10     | 10     | 10     | 10     | 10     | 10     | 10     | 10     | 10     | 10     | 10     | 10     | 10     | 10     | 10     |



# 鎢鋼滾磨刀 $\phi 6$ 柄-Tungsten Carbide Rotary Burr

交叉紋、單斜紋/ Cross Lines, Single Slip Line

Shank:  $\phi 6.0\text{mm}$  - Length: 55~65mm

| 型狀                                                                                                                                                                     | 型號<br>Model No. | 直徑 x 刃長<br>$\phi D \times T$<br>(mm) | 單價<br>NT \$ |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------------------------------------|-------------|
| <br> | SA-13M          | 4.0x16.0                             | 720         |
|                                                                                                                                                                        | SA-14M          | 5.0x16.0                             | 720         |
|                                                                                                                                                                        | SA-1M           | 6.0x16.0                             | 720         |
|                                                                                                                                                                        | SA-2M           | 8.0x19.0                             | 960         |
|                                                                                                                                                                        | SA-3M           | 9.5x19.0                             | 1,100       |
|                                                                                                                                                                        | SA-5M           | 12.7x25.0                            | 1,400       |
|                                                                                                                                                                        | SA-6M           | 16.0x25.0                            | 2,500       |
|                                                                                                                                                                        | SA-7M           | 19.0x25.0                            | 4,200       |

| 型狀                                                                                                                                                                         | 型號<br>Model No. | 直徑 x 刃長<br>$\phi D \times T$<br>(mm) | 單價<br>NT \$ |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------------------------------------|-------------|
| <br> | SE-11M          | 5.0x8.0                              | 1,000       |
|                                                                                                                                                                            | SE-1M           | 6.0x9.5                              | 1,000       |
|                                                                                                                                                                            | SE-3M           | 9.5x16.0                             | 1,400       |
|                                                                                                                                                                            | SE-5M           | 12.7x22.0                            | 1,700       |
|                                                                                                                                                                            | SE-6M           | 16.0x25.0                            | 3,400       |
|                                                                                                                                                                            | SE-7M           | 19.0x25.0                            | 4,000       |

| 型狀                                                                                  | 型號<br>Model No. | 直徑 x 刃長<br>$\phi D \times T$ | 單價<br>NT \$ |
|-------------------------------------------------------------------------------------|-----------------|------------------------------|-------------|
|  | SJ-1M           | 6.0mm x 60°                  | 1,000       |
|                                                                                     | SJ-3M           | 9.5mm x 60°                  | 1,200       |
|                                                                                     | SJ-5M           | 12.7mm x 60°                 | 1,600       |
|                                                                                     | SJ-6M           | 16.0mm x 60°                 | 2,000       |
|  | SK-1M           | 6.0mm x 90°                  | 1,000       |
|                                                                                     | SK-3M           | 9.5mm x 90°                  | 1,200       |
|                                                                                     | SK-5M           | 12.7mm x 90°                 | 1,600       |
|                                                                                     | SK-6M           | 16.0mm x 90°                 | 2,000       |

| 型狀                                                                                                                                                                     | 型號<br>Model No. | 直徑 x 刃長<br>$\phi D \times T$<br>(mm) | 單價<br>NT \$ |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------------------------------------|-------------|
| <br> | SB-13M          | 4.0x16.0                             | 800         |
|                                                                                                                                                                        | SB-14M          | 5.0x16.0                             | 800         |
|                                                                                                                                                                        | SB-1M           | 6.0x16.0                             | 800         |
|                                                                                                                                                                        | SB-2M           | 8.0x19.0                             | 1,060       |
|                                                                                                                                                                        | SB-3M           | 9.5x19.0                             | 1,200       |
|                                                                                                                                                                        | SB-5M           | 12.7x25.0                            | 1,800       |
|                                                                                                                                                                        | SB-6M           | 16.0x25.0                            | 2,800       |
|                                                                                                                                                                        | SB-7M           | 19.0x25.0                            | 4,600       |


| 型狀                                                                                                                                                                         | 型號<br>Model No. | 直徑 x 刃長<br>$\phi D \times T$<br>(mm) | 單價<br>NT \$ |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------------------------------------|-------------|
| <br> | SF-1M           | 6.0x16.0                             | 1,000       |
|                                                                                                                                                                            | SF-3M           | 9.5x19.0                             | 1,200       |
|                                                                                                                                                                            | SF-5M           | 12.7x25.0                            | 1,500       |
|                                                                                                                                                                            | SF-6M           | 16.0x25.0                            | 2,400       |
|                                                                                                                                                                            | SF-7M           | 19.0x25.0                            | 3,600       |
|                                                                                                                                                                            | SF-14M          | 19.0x32.0                            | 4,800       |
|                                                                                                                                                                            | SF-15M          | 19.0x38.0                            | 5,000       |


| 型狀                                                                                                                                                                         | 型號<br>Model No. | 直徑 x 刃長<br>$\phi D \times T$<br>(mm) | 單價<br>NT \$ |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------------------------------------|-------------|
| <br> | SL-1M           | 6.0x16.0                             | 1,000       |
|                                                                                                                                                                            | SL-2M           | 8.0x22.0                             | 1,300       |
|                                                                                                                                                                            | SL-3M           | 9.5x27.0                             | 1,500       |
|                                                                                                                                                                            | SL-4M           | 12.7x28.0                            | 2,000       |
|                                                                                                                                                                            | SL-5M           | 16.0x30.0                            | 3,800       |
|                                                                                                                                                                            | SL-7M           | 19.0x38.0                            | 6,000       |

交叉紋、單斜紋/ Cross Lines, Single Slip Line

Shank: φ 6.0mm - Length: 55~65mm

| 型狀                                                                                | 型號<br>Model No. | 直徑 x 刃長<br>φ D x T<br>(mm) | 單價<br>NT \$ |
|-----------------------------------------------------------------------------------|-----------------|----------------------------|-------------|
|  | SC-13M          | 4.0x16.0                   | 900         |
|                                                                                   | SC-14M          | 5.0x16.0                   | 900         |
|                                                                                   | SC-1M           | 6.0x16.0                   | 860         |
|                                                                                   | SC-2M           | 8.0x19.0                   | 1,100       |
|                                                                                   | SC-3M           | 9.5x19.0                   | 1,260       |
|                                                                                   | SC-5M           | 12.7x25.0                  | 1,900       |
|                                                                                   | SC-6M           | 16.0x25.0                  | 2,900       |
|                                                                                   | SC-7M           | 19.0x25.0                  | 4,800       |

| 型狀                                                                                 | 型號<br>Model No. | 直徑 x 刃長<br>φ D x T<br>(mm) | 單價<br>NT \$ |
|------------------------------------------------------------------------------------|-----------------|----------------------------|-------------|
|  | SG-1M           | 6.0x16.0                   | 900         |
|                                                                                    | SG-2M           | 8.0x16.0                   | 1,200       |
|                                                                                    | SG-3M           | 9.5x19.0                   | 1,300       |
|                                                                                    | SG-5M           | 12.7x25.0                  | 1,700       |
|                                                                                    | SG-6M           | 16.0x25.0                  | 3,200       |
|                                                                                    | SG-7M           | 19.0x25.0                  | 4,000       |
|                                                                                    | SG-15M          | 19.0x38.0                  | 4,600       |

| 型狀                                                                                  | 型號<br>Model No. | 直徑 x 刃長<br>φ D x T<br>(mm) | 單價<br>NT \$ |
|-------------------------------------------------------------------------------------|-----------------|----------------------------|-------------|
|  | SM-1M           | 6.0x12.0                   | 900         |
|                                                                                     | SM-2M           | 6.0x19.0                   | 900         |
|                                                                                     | SM-3M           | 8.0x21.0                   | 1,000       |
|                                                                                     | SM-4M           | 9.5x16.0                   | 1,500       |
|                                                                                     | SM-5M           | 12.7x22.0                  | 2,000       |
|                                                                                     | SM-6M           | 16.0x25.0                  | 3,000       |


| 型狀                                                                                | 型號<br>Model No. | 直徑 x 刃長<br>φ D x T<br>(mm) | 單價<br>NT \$ |
|-----------------------------------------------------------------------------------|-----------------|----------------------------|-------------|
|  | SD-13M          | 5.0x5.0                    | 800         |
|                                                                                   | SD-1M           | 6.0x6.0                    | 800         |
|                                                                                   | SD-2M           | 8.0x8.0                    | 900         |
|                                                                                   | SD-3M           | 9.5x9.5                    | 1,100       |
|                                                                                   | SD-5M           | 12.7x12.7                  | 1,300       |
|                                                                                   | SD-6M           | 16.0x16.0                  | 1,800       |
|                                                                                   | SD-7M           | 19.0x19.0                  | 2,600       |

| 型狀                                                                                 | 型號<br>Model No. | 直徑 x 刃長<br>φ D x T<br>(mm) | 單價<br>NT \$ |
|------------------------------------------------------------------------------------|-----------------|----------------------------|-------------|
|  | SH-1M           | 6.0x16.0                   | 1,100       |
|                                                                                    | SH-2M           | 8.0x19.0                   | 1,200       |
|                                                                                    | SH-5M           | 12.7x32.0                  | 2,600       |
|                                                                                    | SH-6M           | 16.0x36.0                  | 4,000       |
|                                                                                    | SH-7M           | 19.0x41.0                  | 4,800       |

| 型狀                                                                                  | 型號<br>Model No. | 直徑 x 刃長<br>φ D x T<br>(mm) | 單價<br>NT \$ |
|-------------------------------------------------------------------------------------|-----------------|----------------------------|-------------|
|  | SN-1M           | 6.0x8.0                    | 1,000       |
|                                                                                     | SN-2M           | 9.5x9.0                    | 1,200       |
|                                                                                     | SN-4M           | 12.7x12.0                  | 1,600       |
|                                                                                     | SN-6M           | 16.0x19.0                  | 2,600       |
|                                                                                     | SN-7M           | 19.0x16.0                  | 3,200       |

特殊長柄鎢鋼滾磨刀  $\phi$  6柄-Long Shaft Carbide Cutters

交叉紋 Cross Lines

Shank:  $\phi$  6.0mm - Length: 150mmNote :  $\phi$  D:Cut Diameter T:Flute Length  $\phi$  B:Shank Diameter L:Overall Length

| 型 狀                                                                                | 型 號<br>Model No. | 直徑 x 刃長<br>$\phi$ D x T | 柄徑<br>$\phi$ B | 全長<br>Shank | 單價<br>NT \$ |
|------------------------------------------------------------------------------------|------------------|-------------------------|----------------|-------------|-------------|
|    | SA-1ML6          | 6.0x12.0mm              | $\phi$ 6       | 150mm       | 1,200       |
|                                                                                    | SA-3ML6          | 9.5 x 19.0              |                |             | 1,800       |
|                                                                                    | SA-5ML6          | 12.7 x 25.0             |                |             | 2,800       |
|    | SC-1ML6          | 6.0 x 12.0              |                |             | 1,400       |
|                                                                                    | SC-3ML6          | 9.5 x 19.0              |                |             | 2,000       |
|                                                                                    | SC-5ML6          | 12.7 x 25.0             |                |             | 3,000       |
|    | SF-1ML6          | 6.0 x 12.0              |                |             | 1,500       |
|                                                                                    | SF-3ML6          | 9.5 x 19.0              |                |             | 1,900       |
|                                                                                    | SF-5ML6          | 12.7 x 25.0             |                |             | 3,000       |
|   | SG-1ML6          | 6.0 x 12.0              |                |             | 1,500       |
|                                                                                    | SG-3ML6          | 9.5 x 19.0              |                |             | 1,900       |
|                                                                                    | SG-5ML6          | 12.7 x 25.0             |                |             | 3,000       |
|  | SL-1ML6          | 6.0 x 16.0              |                |             | 1,500       |
|                                                                                    | SL-3ML6          | 9.5 x 27.0              |                |             | 2,200       |
|                                                                                    | SL-4ML6          | 12.7 x 28.0             |                |             | 3,200       |

## 鋁/銅質專用-單斜紋

(Designed specifically for Aluminum / Copper)

Shank:  $\phi$  6.0mm - Length: 55~65mm

| 型 狀                                                                                 | 型 號<br>Model No. | 直徑x 刃長<br>$\phi$ D x T | 單價<br>NT \$ | 型 狀                                                                                 | 型 號<br>Model No. | 直徑x 刃長<br>$\phi$ D x T | 單價<br>NT \$ |
|-------------------------------------------------------------------------------------|------------------|------------------------|-------------|-------------------------------------------------------------------------------------|------------------|------------------------|-------------|
|  | SA-1MNF          | 6.0 x 16               | 1,200       |  | SE-3MNF          | 9.5 x 16               | 1,600       |
|                                                                                     | SA-2MNF          | 8.0 x 20               | 1,400       |                                                                                     | SE-5MNF          | 12.7 x 19              | 2,600       |
|                                                                                     | SA-3MNF          | 9.5 x 20               | 1,500       |                                                                                     | SE-6MNF          | 16.0 x 25              | 3,400       |
|                                                                                     | SA-5MNF          | 12.7 x 25              | 2,400       |  | SF-1MNF          | 6.0 x 18               | 1,300       |
|                                                                                     | SA-6MNF          | 16.0 x 26              | 3,200       |                                                                                     | SF-3MNF          | 9.5 x 19               | 1,600       |
|  | SC-1MNF          | 6.0 x 16               | 1,300       |                                                                                     | SF-5MNF          | 12.7 x 25              | 2,600       |
|                                                                                     | SC-3MNF          | 9.5 x 19               | 1,600       |                                                                                     | SF-6MNF          | 16.0 x 25              | 3,400       |
|                                                                                     | SC-5MNF          | 12.7 x 25              | 2,600       |  | SL-3MNF          | 9.5 x 27               | 2,000       |
|                                                                                     | SC-6MNF          | 16.0 x 25              | 3,400       |                                                                                     | SL-4MNF          | 12.7 x 28              | 2,800       |
|  | SD-1MNF          | 6.0                    | 1,200       |                                                                                     | SL-5MNF          | 16.0 x 30              | 4,600       |
|                                                                                     | SD-3MNF          | 9.5                    | 1,400       |                                                                                     |                  |                        |             |
|                                                                                     | SD-5MNF          | 12.7                   | 2,000       |                                                                                     |                  |                        |             |
|                                                                                     | SD-6MNF          | 16.0                   | 3,400       |                                                                                     |                  |                        |             |