

鎢鋼滾磨刀

φ 6柄-Tungsten Carbide Rotary Burr

交叉紋、單斜紋/ Cross Lines, Single Slip Line

Shank: φ 6.0mm - Length: 55~65mm

型狀	型號 Model No.	直徑 x 刃長 φ D x T (mm)	單價 NT \$
 	SA-13M	4.0x16.0	720
	SA-14M	5.0x16.0	720
	SA-1M	6.0x16.0	720
	SA-2M	8.0x19.0	960
	SA-3M	9.5x19.0	1,100
	SA-5M	12.7x25.0	1,400
	SA-6M	16.0x25.0	2,500
	SA-7M	19.0x25.0	4,200

型狀	型號 Model No.	直徑 x 刃長 φ D x T (mm)	單價 NT \$
 	SE-11M	5.0x8.0	1,000
	SE-1M	6.0x9.5	1,000
	SE-3M	9.5x16.0	1,400
	SE-5M	12.7x22.0	1,700
	SE-6M	16.0x25.0	3,400
	SE-7M	19.0x25.0	4,000

型狀	型號 Model No.	直徑 x 刃長 φ D x T	單價 NT \$
	SJ-1M	6.0mm x 60°	1,000
	SJ-3M	9.5mm x 60°	1,200
	SJ-5M	12.7mm x 60°	1,600
	SJ-6M	16.0mm x 60°	2,000
	SK-1M	6.0mm x 90°	1,000
	SK-3M	9.5mm x 90°	1,200
	SK-5M	12.7mm x 90°	1,600
	SK-6M	16.0mm x 90°	2,000

型狀	型號 Model No.	直徑 x 刃長 φ D x T (mm)	單價 NT \$
 	SB-13M	4.0x16.0	800
	SB-14M	5.0x16.0	800
	SB-1M	6.0x16.0	800
	SB-2M	8.0x19.0	1,060
	SB-3M	9.5x19.0	1,200
	SB-5M	12.7x25.0	1,800
	SB-6M	16.0x25.0	2,800
	SB-7M	19.0x25.0	4,600

型狀	型號 Model No.	直徑 x 刃長 φ D x T (mm)	單價 NT \$
 	SF-1M	6.0x16.0	1,000
	SF-3M	9.5x19.0	1,200
	SF-5M	12.7x25.0	1,500
	SF-6M	16.0x25.0	2,400
	SF-7M	19.0x25.0	3,600
	SF-14M	19.0x32.0	4,800
	SF-15M	19.0x38.0	5,000

型狀	型號 Model No.	直徑 x 刃長 φ D x T (mm)	單價 NT \$
 	SL-1M	6.0x16.0	1,000
	SL-2M	8.0x22.0	1,300
	SL-3M	9.5x27.0	1,500
	SL-4M	12.7x28.0	2,000
	SL-5M	16.0x30.0	3,800
	SL-7M	19.0x38.0	6,000

交叉紋、單斜紋/ Cross Lines, Single Slip Line

Shank: φ 6.0mm - Length: 55~65mm

型狀	型號 Model No.	直徑 x 刃長 φ D x T (mm)	單價 NT \$
 	SC-13M	4.0x16.0	900
	SC-14M	5.0x16.0	900
	SC-1M	6.0x16.0	860
	SC-2M	8.0x19.0	1,100
	SC-3M	9.5x19.0	1,260
	SC-5M	12.7x25.0	1,900
	SC-6M	16.0x25.0	2,900
	SC-7M	19.0x25.0	4,800

型狀	型號 Model No.	直徑 x 刃長 φ D x T (mm)	單價 NT \$
 	SG-1M	6.0x16.0	900
	SG-2M	8.0x16.0	1,200
	SG-3M	9.5x19.0	1,300
	SG-5M	12.7x25.0	1,700
	SG-6M	16.0x25.0	3,200
	SG-7M	19.0x25.0	4,000
	SG-15M	19.0x38.0	4,600

型狀	型號 Model No.	直徑 x 刃長 φ D x T (mm)	單價 NT \$
 	SM-1M	6.0x12.0	900
	SM-2M	6.0x19.0	900
	SM-3M	8.0x21.0	1,000
	SM-4M	9.5x16.0	1,500
	SM-5M	12.7x22.0	2,000
	SM-6M	16.0x25.0	3,000


型狀	型號 Model No.	直徑 x 刃長 φ D x T (mm)	單價 NT \$
 	SD-13M	5.0x5.0	800
	SD-1M	6.0x6.0	800
	SD-2M	8.0x8.0	900
	SD-3M	9.5x9.5	1,100
	SD-5M	12.7x12.7	1,300
	SD-6M	16.0x16.0	1,800
	SD-7M	19.0x19.0	2,600

型狀	型號 Model No.	直徑 x 刃長 φ D x T (mm)	單價 NT \$
 	SH-1M	6.0x16.0	1,100
	SH-2M	8.0x19.0	1,200
	SH-5M	12.7x32.0	2,600
	SH-6M	16.0x36.0	4,000
	SH-7M	19.0x41.0	4,800

型狀	型號 Model No.	直徑 x 刃長 φ D x T (mm)	單價 NT \$
 	SN-1M	6.0x8.0	1,000
	SN-2M	9.5x9.0	1,200
	SN-4M	12.7x12.0	1,600
	SN-6M	16.0x19.0	2,600
	SN-7M	19.0x16.0	3,200

特殊長柄鎢鋼滾磨刀 ϕ 6柄-Long Shaft Carbide Cutters

交叉紋 Cross Lines

Shank: ϕ 6.0mm - Length: 150mmNote : ϕ D:Cut Diameter T:Flute Length ϕ B:Shank Diameter L:Overall Length

型 狀	型 號 Model No.	直徑 x 刃長 ϕ D x T	柄徑 ϕ B	全長 Shank	單價 NT \$
	SA-1ML6	6.0x12.0mm	ϕ 6	150mm	1,200
	SA-3ML6	9.5 x 19.0			1,800
	SA-5ML6	12.7 x 25.0			2,800
	SC-1ML6	6.0 x 12.0			1,400
	SC-3ML6	9.5 x 19.0			2,000
	SC-5ML6	12.7 x 25.0			3,000
	SF-1ML6	6.0 x 12.0			1,500
	SF-3ML6	9.5 x 19.0			1,900
	SF-5ML6	12.7 x 25.0			3,000
	SG-1ML6	6.0 x 12.0			1,500
	SG-3ML6	9.5 x 19.0			1,900
	SG-5ML6	12.7 x 25.0			3,000
	SL-1ML6	6.0 x 16.0			1,500
	SL-3ML6	9.5 x 27.0			2,200
	SL-4ML6	12.7 x 28.0			3,200

鋁/銅質專用-單斜紋

(Designed specifically for Aluminum / Copper)

Shank: ϕ 6.0mm - Length: 55~65mm

型 狀	型 號 Model No.	直徑x 刃長 ϕ D x T	單價 NT \$	型 狀	型 號 Model No.	直徑x 刃長 ϕ D x T	單價 NT \$
	SA-1MNF	6.0 x 16	1,200		SE-3MNF	9.5 x 16	1,600
	SA-2MNF	8.0 x 20	1,400		SE-5MNF	12.7 x 19	2,600
	SA-3MNF	9.5 x 20	1,500		SE-6MNF	16.0 x 25	3,400
	SA-5MNF	12.7 x 25	2,400		SF-1MNF	6.0 x 18	1,300
	SA-6MNF	16.0 x 26	3,200		SF-3MNF	9.5 x 19	1,600
	SC-1MNF	6.0 x 16	1,300		SF-5MNF	12.7 x 25	2,600
	SC-3MNF	9.5 x 19	1,600		SF-6MNF	16.0 x 25	3,400
	SC-5MNF	12.7 x 25	2,600		SL-3MNF	9.5 x 27	2,000
	SC-6MNF	16.0 x 25	3,400		SL-4MNF	12.7 x 28	2,800
	SD-1MNF	6.0	1,200		SL-5MNF	16.0 x 30	4,600
	SD-3MNF	9.5	1,400				
	SD-5MNF	12.7	2,000				
	SD-6MNF	16.0	3,400				

鎢鋼滾磨刀 ϕ 3柄-Tungsten Carbide Rotary Burr


Shank: ϕ 3.0mm - Length: 38mm Overall Length



The wide variety of shapes and sizes offered is intended to fill the complete needs of anyone with requirement for high quality precision burs. Used for shaping, smoothing and removing hardened steel, stainless steels, fired ceramic, plastics, hardwoods.

高質量精確度的鎢鋼滾磨刀針對木材、塑料、陶瓷、硬化鋼、不鏽鋼或熱處理後的材料，提供各種不同形狀的刀削工具。

交叉紋、單斜紋



型號 Model No.	SA-41M	SA-42M	SA-43M	SB-43M	SC-41M	SC-42M	SD-41M	SD-42M
刀徑 ϕ D	1.5	2.5	3	3	2.5	3	2.5	3
刀長 T	6	11	14	14	14	14	2.5	3
全長 L	38	38	38	38	38	38	38	38
單價 NT \$	300	300	300	300	300	300	300	300

交叉紋、單斜紋



型號 Model No.	SE-41M	SF-41M	SF-42M	SG-41M	SG-43M	SG-44M	SH-41M
刀徑 ϕ D	3	3	3	3	3	3	3
刀長 T	5.5	6	12	6	10	12	6
全長 L	38	38	38	38	38	38	38
單價 NT \$	300	300	300	300	300	300	300

交叉紋、單斜紋



型號 Model No.	SL-41M	SL-42M	SM-41M	SM-42M	SM-43M	SN-41M	SN-42M
刀徑 ϕ D	3	3	3	3	3	2.5	3
刀長 T	5.5	12	8.7	11	16	3	4
全長 L	38	38	38	38	38	38	38
單價 NT \$	300	300	300	300	300	300	300

鎢鋼滾磨刀 $\phi 3$ 柄-Tungsten Carbide Rotary Burr

Shank: $\phi 3.0\text{mm}$ - Length: 39~51mm Overall Length



交叉紋、單斜紋

型號 Model No.	SA-52M SB-52M	SA-53M SB-53M	SC-52M	SC-53M	SD-52M	SD-53M	SE-53M
刀徑 ϕD	4	5	4	5	4	5	5
刀長 T	13	13	13	13	4	5	7.1
全長 L	39	39	39	39	39	39	39
單價 NT\$	800	800	800	800	800	800	800



交叉紋、單斜紋

型號 Model No.	SF-53M	SG-53M	SH-53M	SL-53M	SM-53M	SN-53M
刀徑 ϕD	5	5	5	5	5	5
刀長 T	13	13	13	13	13	6
全長 L	39	39	39	39	39	39
單價 NT\$	800	800	800	800	800	800



交叉紋、單斜紋

型號 Model No.	SA-51M	SA-51M/EC	SB-51M	SC-51M	SD-51M
刀徑 ϕD	6	6	6	6	6
刀長 T	12	12	4.7	12	6
全長 L	51	51	51	51	51
單價 NT\$	600	600	600	600	600



交叉紋、單斜紋

型號 Model No.	SE-51M	SF-51M	SG-51M	SM-51M	SN-51M
刀徑 ϕD	6	6	6	6	6
刀長 T	9.5	12	12	12	6
全長 L	51	51	51	51	51
單價 NT\$	600	600	600	600	600

新發售



鎢鋼滾磨刀組-3柄

Tungsten Carbide Rotary Burr

Shank: ϕ 3.0mm - Length: 38mm Overall Length



高質量精確度的鎢鋼滾磨刀針對木材、塑料、陶瓷、硬化鋼、不鏽鋼或熱處理後的材料，提供各種不同形狀的刀削工具。



The wide variety of shapes and sizes offered is intended to fill the complete needs of anyone with requirement for high quality precision burs. Used for shaping, smoothing and removing hardened steel, stainless steels, fired ceramic, plastics, woods.



鎢鋼滾磨刀組-3柄

Tungsten Carbide Rotary Burr

SCA-210S

高質量精確度的鎢鋼滾磨刀針對木材、塑料、陶瓷、硬化鋼、不鏽鋼或熱處理後的材料，提供各種不同形狀的刀削工具。

Shank: ϕ 3.0mm - Length: 38mm



型號/Model No.	SA-41M	SA-42M	SA-43M	SB-43M	SC-41M	SC-42M	SD-42M	SE-41M	SF-41M	SF-42M	SG-41M	SG-43M	SG-44M	SH-41M	SL-41M	SL-42M	SM-41M	SM-42M	SM-43M	SN-41M	SN-42M
尺寸/SIZE	1.5	2.5	3	3	2.5	3	3	3	3	3	3	3	3	3	3	3	3	3	3	2.5	3
數量/QTY	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10

