

粉紅色帶柄砂輪

φ3柄-Pink Mounted Points

Shank: φ3.0mm



標準柄徑 Standard Shank: φ3.0mm

另可選購 Options: φ2.34mm



Unit:mm

型號 Model No.	256A	308A	410A	510A	612A	816A	1016A
刃徑 φD	2.5	3	4	5	6	8	10
刃長 T	6	8	10	10	12	16	16
單價 Price							

型號 Model No.	30B	40B	50B	60B	80B	100B	120B
刃徑 φD	3	4	5	6	8	10	12
刃長 T	-	-	-	-	-	-	-
單價 Price							

型號 Model No.	308T	310T	412T	710T	813R	1224R	609S
刃徑 φD	3	3	4	7	8	12	6
刃長 T	8	10	12	10	13	24	9
單價 Price							

型號 Model No.	412J	616J	816J	1016J	612P	815P	1018P
刃徑 φD	4	6	8	10	6	8	10
刃長 T	12	16	16	16	12	15	18
單價 Price							

型號 Model No.	306K	412K	515K	816K	132E/133E	162E	163E
刃徑 φD	3	4	5	8	13/13	16	16
刃長 T	6	12	15	16	3 or 2	2	3
單價 Price							

粉紅色帶柄砂輪

φ6柄-Pink Mounted Points

Shank: φ6.0mm

適用於一般鋼鐵鑄造之鋼鐵製品, 毛邊粗中研磨修飾加工
Designed for grinding of rough edges on die cast, forged steel and other composite materials. Used for general shaping, surface texture and finishing, trimming metal framework.

Unit:mm








Designed for grinding of rough edges on die cast, forged steel and other composite materials. Used for general shaping, surface texture and finishing, trimming metal framework.





Technical drawings of eight grinding points (A1, A2, A3, A4(KA-1), A5(KA-2), A6, A11) showing their dimensions in mm. Each drawing includes a top view (width) and a side view (height).



- A1: Top view 19mm, Side view 55mm
- A2: Top view 25mm, Side view 32mm
- A3: Top view 25mm, Side view 70mm
- A4(KA-1): Top view 32mm, Side view 32mm
- A5(KA-2): Top view 19mm, Side view 28mm
- A6: Top view 19mm, Side view 28mm
- A11: Top view 22mm, Side view 50mm





Unit:mm

型 號 Model No.	A1	A2	A3	A4(KA-1)	A5(KA-2)	A6	A11
刃 徑 φD	19	25	25	32	19	19	22
刃 長 T	55	32	70	32	28	28	50
單 價 Price							

							
型 號 Model No.	A12(KA-3)	A13	A14	A15	A21	A22	A23
刃 徑 φD	18	28	18	6	25	19	19
刃 長 T	32	28	22	27	25	16	25
單 價 Price							

						
型 號 Model No.	A24	A25	A26(KA-8)	A31	A32	A33(KA-9)
刃 徑 φD	6	25	16	35	25	25
刃 長 T	19	-	-	25	16	13
單 價 Price						

				
型 號 Model No.	A34	A35(KA-7)	A36	A37
刃 徑 φD	38	25	42	32
刃 長 T	10	10	10	6
單 價 Price				

					
型 號 Model No.	A38(KA-4)	A39	A40	KA-5	KA-6
刃 徑 φD	25	19	19	16	32
刃 長 T	25	19	-	32	10
單 價 Price					

新發售



帶柄砂輪組-3柄

Mounted Points Set

Shank: ϕ 3.0mm / Length: 41~52mm



適用於一般鋼鐵鑄造之鋼鐵製品, 毛邊粗中研磨修飾加工



100支組 / 100pcs/Set

Designed for grinding of rough edges on die cast, forged steel and other composite materials. Used for general shaping, surface texture and finishing, trimming metal framework.



帶柄砂輪組-3柄

Mounted Points Set


適用於一般鋼鐵鑄造之鋼鐵製品,

毛邊粗中研磨修飾加工

標準柄徑 Standard Shank: ϕ 3.0mm

※另可自行選配包裝內容 (OPTION)

ϕ 3 Unit:mm
另可選購 Options: ϕ 2.34mm



AM-210S

型號/Model No.	AM-256A	AM-308A	AM-410A	AM-510A	AM-612A	AM-816A	AM-1016A
尺寸/SIZE	ϕ 2.5	ϕ 3	ϕ 4	ϕ 5	ϕ 6	ϕ 8	ϕ 10
數量/QTY	30	30	30	30	30	30	30



256A	308A	410A	510A	612A	816A	1016A
2.5	3	4	5	6	8	10
6	8	10	10	12	16	16
30B	40B	50B	60B	80B	100B	120B
3	4	5	6	8	10	12
-	-	-	-	-	-	-
308T	310T	412T	710T	813R	1224R	609S
3	3	4	7	8	12	6
8	10	12	10	13	24	9
412J	616J	816J	1016J	612P	815P	1018P
4	6	8	10	6	8	10
12	16	16	16	12	15	18
306K	412K	515K	816K	132E/133E	162E	163E
3	4	5	8	13/13	16	16
6	12	15	16	3 or 2	2	3



Elastic Abrasive Tool: 彈性帶柄砂輪
Our standards line of mounted abrasive point & wheel is designed specifically for the mold & die makers.

It includes:

- ※ Ceramic Rubber Points
- ※ Elastic Rubber Points
- ※ Abrasive Rubber Points
- ※ Pink Mounted Points

黃色海綿輪



Abrasive Rubber Points - Yellow

Shank: ϕ 3.0mm/ ϕ 6.0mm Grit Size: #180

用途：鋁合金與鐵拋光


海綿砂輪本身具30%切削力，70%拋光亮度力，對模具表面與非鐵金屬，均具有拋光研磨能力。不傷表面。

Used for finishing aluminum and metal framework, gross reduction and contouring



Cylinder 圓柱型

型號 Model No.	BNR-03K	BNR-04K	BNR-05K	BNR-06K	BNR-08K	BNR-10K	BNR-12K
刃徑 ϕD	3	4	5	6	8	10	12
刃長 T	15	15	15	20	20	20	20
柄徑 ϕB	3	3	3	3	3	3	3
單價 Price							




Cylinder 圓柱型

型號 Model No.	BNR-6080K	BNR-6010K	BNR-6012K	BNR-6016K	BNR-6020K	BNR-6025K
刃徑 ϕD	8	10	12	16	20	25
刃長 T	20	25	25	25	25	25
柄徑 ϕB	6	6	6	6	6	6
單價 Price						


綠色海綿輪

Abrasive Rubber Points-Green


Shank: ϕ 3.0~6.0mm / Grit Size: #120




用途：鋁合金與鐵拋光
Used for finishing aluminum and metal framework, gross reduction and contouring









Unit:mm



Cylinder 圓柱型








型號 Model No.	BNR-03N	BNR-04N	BNR-05N	BNR-06N	BNR-08N	BNR-10N	BNR-12N
刃徑 ϕ D	3	4	5	6	8	10	12
刃長 T	15	15	15	20	20	20	20
柄徑 ϕ B	3	3	3	3	3	3	3
單價 Price							








Cylinder 圓柱型

型號 Model No.	BNR-6080N	BNR-6010N	BNR-6012N	BNR-6016N	BNR-6020N	BNR-6025N
刃徑 ϕ D	8	10	12	16	20	25
刃長 T	20	25	25	25	25	25
柄徑 ϕ B	6	6	6	6	6	6
單價 Price						



T Type (T 型)

型號 Model No.	BNR-2202N	BNR-2203N	BNR-2204N	BNR-2205N	BNR-2502N
刃徑 ϕ D	22	22	22	22	25
刃長 T	2	3	4	5	2
柄徑 ϕ B	3	3	3	3	3
單價 Price					



T Type (T 型)

型號 Model No.	BNR-2503N	BNR-2504N	BNR-2505N	BNR-6305N	BNR-6306N
刃徑 ϕ D	25	25	25	30	30
刃長 T	3	4	5	5	6
柄徑 ϕ B	3	3	3	6	6
單價 Price					

新發售



彈性帶柄海綿輪-3柄

Abrasive Rubber Points



Used for finishing aluminum and metal framework, gross reduction and contouring

Shank: $\varnothing$ 3.0, 6.0mm / Grit Size: #120, #180



100支組 / 100pcs/Set

用途：鋁合金與鐵拋光

海棉砂輪本身具30%切削力，70%拋光亮度力，對模具表面與非鐵金屬，均具有拋光研磨能力。不傷表面。



彈性帶柄海綿輪-3柄

Abrasive Rubber Points


用途：鋁合金與鐵拋光

Used for finishing aluminum and metal framework, gross reduction and contouring



Green Grit: #120

Shank: $\varnothing$ 3.0mm Yellow Grit: #180




BNR-200S

型號/Model No.	BNR-03N	BNR-04N	BNR-05N	BNR-06N	BNR-08N	BNR-10N	BNR-12N
尺寸/SIZE	$\varnothing$ 3	$\varnothing$ 4	$\varnothing$ 5	$\varnothing$ 6	$\varnothing$ 8	$\varnothing$ 10	$\varnothing$ 12
數量/QTY	30	30	30	40	30	30	10




BNR-03N	BNR-04N	BNR-05N	BNR-06N	BNR-08N	BNR-10N	BNR-12N
3	4	5	6	8	10	12
15	15	15	20	20	20	20
3	3	3	3	3	3	3
BNR-6080N	BNR-6010N	BNR-6012N	BNR-6016N	BNR-6020N	BNR-6025N	
8	10	12	16	20	25	
20	25	25	25	25	25	
6	6	6	6	6	6	
BNR-2202N	BNR-2203N	BNR-2204N	BNR-2205N	BNR-2502N		
22	22	22	22	25		
2	3	4	5	2		
3	3	3	3	3		
BNR-2503N	BNR-2504N	BNR-2505N	BNR-6305N	BNR-6306N		
25	25	25	30	30		
3	4	5	5	6		
3	3	3	6	6		

BNS-Series


牛皮輪
Elastic Mounted PointsShank: ϕ 3.0, 6.0mm / Grit Size: #100

用途：一般金屬拋光
Used for gross shaping metal framework, and finishing




Cylinder 圓柱型

型號 Model No.	BNS-03	BNS-04	BNS-05	BNS-06	BNS-08	BNS-10	BNS-12
刀徑 ϕ D	3	4	5	6	8	10	12
刀長 T	15	15	15	20	20	20	20
柄徑 ϕ B	3	3	3	3	3	3	3
單價 Price							




Cylinder 圓柱型

型號 Model No.	BNS-6080	BNS-6010	BNS-6012	BNS-6016	BNS-6020	BNS-6025
刀徑 ϕ D	8	10	12	16	20	25
刀長 T	20	25	25	25	25	25
柄徑 ϕ B	6	6	6	6	6	6
單價 Price						



T Type (T 型)

型號 Model No.	BNS-2202	BNS-2203	BNS-2204	BNS-2205	BNS-2502
刀徑 ϕ D	22	22	22	22	25
刀長 T	2	3	4	5	2
柄徑 ϕ B	3	3	3	3	3
單價 Price					



T Type (T 型)

型號 Model No.	BNS-2503	BNS-2504	BNS-2505	BNS-6305	BNS-6306
刀徑 ϕ D	25	25	25	30	30
刀長 T	3	4	5	5	6
柄徑 ϕ B	3	3	3	6	6
單價 Price					



彈性帶柄牛皮輪-3柄

Elastic Mounted Points

新發售

Shank: ϕ 3.0, 6.0mm / Grit Size: #100



100支組 / 100pcs/Set

用途：一般金屬拋光
Used for gross shaping metal framework, and finishing




彈性帶柄牛皮輪-3柄

Elastic Mounted Points

BNS-200S

用途：一般金屬拋光
Used for gross shaping metal framework, and finishing

Shank: ϕ 3.0mm / Grit Size: #100




型號/Model No.	BNS-03	BNS-04	BNS-05	BNS-06	BNS-08	BNS-10	BNS-12
尺寸/SIZE	ϕ 3	ϕ 4	ϕ 5	ϕ 6	ϕ 8	ϕ 10	ϕ 12
數量/QTY	30	30	30	40	30	30	10
















BNS-03	BNS-04	BNS-05	BNS-06	BNS-08	BNS-10	BNS-12
3	4	5	6	8	10	12
15	15	15	20	20	20	20
3	3	3	3	3	3	3
BNS-6080	BNS-6010	BNS-6012	BNS-6016	BNS-6020	BNS-6025	
8	10	12	16	20	25	
20	25	25	25	25	25	
6	6	6	6	6	6	
BNS-2202	BNS-2203	BNS-2204	BNS-2205	BNS-2502		
22	22	22	22	25		
2	3	4	5	2		
3	3	3	3	3		
BNS-2503	BNS-2504	BNS-2505	BNS-6305	BNS-6306		
25	25	25	30	30		
3	4	5	5	6		
3	3	3	6	6		

Shank: ϕ 3.0mm / Grit Size: #60~#320

用途：適用不鏽鋼、銅、鋁、鈦合金等特殊材料拋光
Used for precious metal, stainless steel and metal mold finishing



#60 Orange							
	型號 Model No.	WO-04183	WO-05183	WO-06183	WO-08183	WO-10183	WO-12203
	刀徑 φD	4	5	6	8	10	12
	刀長 T	18	18	18	18	18	20
	單價 Price						
#80 Red							
	型號 Model No.	WR-04183	WR-05183	WR-06183	WR-08183	WR-10183	WR-12203
	刀徑 φD	4	5	6	8	10	12
	刀長 T	18	18	18	18	18	20
	單價 Price						
#120 Blue							
	型號 Model No.	WB-04183	WB-05183	WB-06183	WB-08183	WB-10183	WB-12203
	刀徑 φD	4	5	6	8	10	12
	刀長 T	18	18	18	18	18	20
	單價 Price						
#180 Yellow							
	型號 Model No.	WY-04183	WY-05183	WY-06183	WY-08183	WY-10183	WY-12203
	刀徑 φD	4	5	6	8	10	12
	刀長 T	18	18	18	18	18	20
	單價 Price						
#220 Green							
	型號 Model No.	WG-04183	WG-05183	WG-06183	WG-08183	WG-10183	WG-12203
	刀徑 φD	4	5	6	8	10	12
	刀長 T	18	18	18	18	18	20
	單價 Price						
#320 Purple							
	型號 Model No.	WP-04183	WP-05183	WP-06183	WP-08183	WP-10183	WP-12203
	刀徑 φD	4	5	6	8	10	12
	刀長 T	18	18	18	18	18	20
	單價 Price						