


綠色海綿輪

Abrasive Rubber Points-Green




Shank: ϕ 3.0~6.0mm / Grit Size: #120





用途：鋁合金與鐵拋光

Used for finishing aluminum and metal framework, gross reduction and contouring




Unit:mm




Cylinder 圓柱型

型號 Model No.	BNR-03N	BNR-04N	BNR-05N	BNR-06N	BNR-08N	BNR-10N	BNR-12N
刃徑 ϕ D	3	4	5	6	8	10	12
刃長 T	15	15	15	20	20	20	20
柄徑 ϕ B	3	3	3	3	3	3	3
單價 Price							




Cylinder 圓柱型

型號 Model No.	BNR-6080N	BNR-6010N	BNR-6012N	BNR-6016N	BNR-6020N	BNR-6025N
刃徑 ϕ D	8	10	12	16	20	25
刃長 T	20	25	25	25	25	25
柄徑 ϕ B	6	6	6	6	6	6
單價 Price						



T Type (T 型)

型號 Model No.	BNR-2202N	BNR-2203N	BNR-2204N	BNR-2205N	BNR-2502N
刃徑 ϕ D	22	22	22	22	25
刃長 T	2	3	4	5	2
柄徑 ϕ B	3	3	3	3	3
單價 Price					



T Type (T 型)

型號 Model No.	BNR-2503N	BNR-2504N	BNR-2505N	BNR-6305N	BNR-6306N
刃徑 ϕ D	25	25	25	30	30
刃長 T	3	4	5	5	6
柄徑 ϕ B	3	3	3	6	6
單價 Price					

新發售



彈性帶柄海綿輪-3柄

Abrasive Rubber Points

Shank: ϕ 3.0, 6.0mm / Grit Size: #120, #180



Used for finishing aluminum and metal framework, gross reduction and contouring



100支組 / 100pcs/Set

用途：鋁合金與鐵拋光
海棉砂輪本身具30%切削力，70%拋光亮度力，對模具表面與非鐵金屬，均具有拋光研磨能力。不傷表面。





彈性帶柄海綿輪-3柄

Abrasive Rubber Points

BNR-200S

用途：鋁合金與鐵拋光
Used for finishing aluminum and metal framework, gross reduction and contouring




型號/Model No.	BNR-03N	BNR-04N	BNR-05N	BNR-06N	BNR-08N	BNR-10N	BNR-12N
尺寸/SIZE	$\phi 3$	$\phi 4$	$\phi 5$	$\phi 6$	$\phi 8$	$\phi 10$	$\phi 12$
數量/QTY	30	30	30	40	30	30	10



型號	尺寸	數量	型號	尺寸	數量
BNR-03N	$\phi 3$	30	BNR-06N	$\phi 6$	40
BNR-04N	$\phi 4$	30	BNR-08N	$\phi 8$	30
BNR-05N	$\phi 5$	30	BNR-10N	$\phi 10$	30
BNR-06N	$\phi 6$	40	BNR-12N	$\phi 12$	10
BNR-08N	$\phi 8$	30	BNR-6080N	$\phi 8$	8
BNR-10N	$\phi 10$	30	BNR-6010N	$\phi 10$	10
BNR-12N	$\phi 12$	10	BNR-6012N	$\phi 12$	12
BNR-6080N	$\phi 8$	8	BNR-6016N	$\phi 16$	16
BNR-6010N	$\phi 10$	10	BNR-6020N	$\phi 20$	20
BNR-6012N	$\phi 12$	12	BNR-6025N	$\phi 25$	25
BNR-6016N	$\phi 16$	16	BNR-2202N	$\phi 22$	22
BNR-6020N	$\phi 20$	20	BNR-2203N	$\phi 22$	22
BNR-6025N	$\phi 25$	25	BNR-2204N	$\phi 22$	22
BNR-2202N	$\phi 22$	22	BNR-2205N	$\phi 22$	22
BNR-2203N	$\phi 22$	22	BNR-2502N	$\phi 25$	25
BNR-2204N	$\phi 22$	22	BNR-2503N	$\phi 25$	25
BNR-2205N	$\phi 22$	22	BNR-2504N	$\phi 25$	25
BNR-2502N	$\phi 25$	25	BNR-2505N	$\phi 25$	25
BNR-2503N	$\phi 25$	25	BNR-6305N	$\phi 30$	30
BNR-2504N	$\phi 25$	25	BNR-6306N	$\phi 30$	30
BNR-2505N	$\phi 25$	25			

BNR-N Series



Elastic Abrasive Tool: 彈性帶柄砂輪
 Our standards line of mounted abrasive point & wheel is designed specifically for the mold & die makers.

It includes:

- ※ Ceramic Rubber Points
- ※ Elastic Rubber Points
- ※ Abrasive Rubber Points
- ※ Pink Mounted Points

黃色海綿輪



Abrasive Rubber Points - Yellow

Shank: ϕ 3.0mm / ϕ 6.0mm Grit Size: #180

用途：鋁合金與鐵拋光


海棉砂輪本身具30%切削力，70%拋光亮度力，對模具表面與非鐵金屬，均具有拋光研磨能力。不傷表面。

Used for finishing aluminum and metal framework, gross reduction and contouring



Cylinder 圓柱型

型號 Model No.	BNR-03K	BNR-04K	BNR-05K	BNR-06K	BNR-08K	BNR-10K	BNR-12K
刃徑 ϕ D	3	4	5	6	8	10	12
刃長 T	15	15	15	20	20	20	20
柄徑 ϕ B	3	3	3	3	3	3	3
單價 Price							



Cylinder 圓柱型


型號 Model No.	BNR-6080K	BNR-6010K	BNR-6012K	BNR-6016K	BNR-6020K	BNR-6025K
刃徑 ϕ D	8	10	12	16	20	25
刃長 T	20	25	25	25	25	25
柄徑 ϕ B	6	6	6	6	6	6
單價 Price						

BNS-Series


牛皮輪 Elastic Mounted Points



Shank: ϕ 3.0, 6.0mm / Grit Size: #100




用途：一般金屬拋光
Used for gross shaping metal framework, and finishing




Cylinder 圓柱型

型號 Model No.	BNS-03	BNS-04	BNS-05	BNS-06	BNS-08	BNS-10	BNS-12
刀徑 ϕ D	3	4	5	6	8	10	12
刀長 T	15	15	15	20	20	20	20
柄徑 ϕ B	3	3	3	3	3	3	3
單價 Price							




Cylinder 圓柱型

型號 Model No.	BNS-6080	BNS-6010	BNS-6012	BNS-6016	BNS-6020	BNS-6025
刀徑 ϕ D	8	10	12	16	20	25
刀長 T	20	25	25	25	25	25
柄徑 ϕ B	6	6	6	6	6	6
單價 Price						



T Type (T 型)

型號 Model No.	BNS-2202	BNS-2203	BNS-2204	BNS-2205	BNS-2502
刀徑 ϕ D	22	22	22	22	25
刀長 T	2	3	4	5	2
柄徑 ϕ B	3	3	3	3	3
單價 Price					



T Type (T 型)

型號 Model No.	BNS-2503	BNS-2504	BNS-2505	BNS-6305	BNS-6306
刀徑 ϕ D	25	25	25	30	30
刀長 T	3	4	5	5	6
柄徑 ϕ B	3	3	3	6	6
單價 Price					



彈性帶柄牛皮輪-3柄

Elastic Mounted Points

新發售

Shank: ϕ 3.0, 6.0mm / Grit Size: #100



100支組 / 100pcs/Set

用途：一般金屬拋光
Used for gross shaping metal framework, and finishing





彈性帶柄牛皮輪-3柄

Elastic Mounted Points

BNS-200S

用途：一般金屬拋光
Used for gross shaping metal framework, and finishing



型號/Model No.	BNS-03	BNS-04	BNS-05	BNS-06	BNS-08	BNS-10	BNS-12
尺寸/SIZE	ϕ 3	ϕ 4	ϕ 5	ϕ 6	ϕ 8	ϕ 10	ϕ 12
數量/QTY	30	30	30	40	30	30	10



BNS-03	BNS-04	BNS-05	BNS-06	BNS-08	BNS-10	BNS-12
3	4	5	6	8	10	12
15	15	15	20	20	20	20
3	3	3	3	3	3	3

BNS-6080	BNS-6010	BNS-6012	BNS-6016	BNS-6020	BNS-6025
8	10	12	16	20	25
20	25	25	25	25	25
6	6	6	6	6	6

BNS-2202	BNS-2203	BNS-2204	BNS-2205	BNS-2502
22	22	22	22	25
2	3	4	5	2
3	3	3	3	3

BNS-2503	BNS-2504	BNS-2505	BNS-6305	BNS-6306
25	25	25	30	30
3	4	5	5	6
3	3	3	6	6

粉紅色帶柄砂輪








φ3柄-Pink Mounted Points

Shank: φ 3.0mm










標準柄徑 Standard Shank: φ 3.0mm

另可選購 Options: φ 2.34mm










Unit:mm








型號 Model No.	256A	308A	410A	510A	612A	816A	1016A
刃徑 φD	2.5	3	4	5	6	8	10
刃長 T	6	8	10	10	12	16	16
單價 Price							










型號 Model No.	30B	40B	50B	60B	80B	100B	120B
刃徑 φD	3	4	5	6	8	10	12
刃長 T	-	-	-	-	-	-	-
單價 Price							



型號 Model No.	308T	310T	412T	710T	813R	1224R	609S
刃徑 φD	3	3	4	7	8	12	6
刃長 T	8	10	12	10	13	24	9
單價 Price							



型號 Model No.	412J	616J	816J	1016J	612P	815P	1018P
刃徑 φD	4	6	8	10	6	8	10
刃長 T	12	16	16	16	12	15	18
單價 Price							



型號 Model No.	306K	412K	515K	816K	132E/133E	162E	163E
刃徑 φD	3	4	5	8	13/13	16	16
刃長 T	6	12	15	16	3 or 2	2	3
單價 Price							

鑽石銼刀

鑽石磨棒

鑽石砂輪

鑽石修刀

鑽石膏

超級油石

錫鋼刀

毛刷

羊毛輪

帶柄砂輪

電動工具


氣動工具

粉紅色帶柄砂輪

φ6柄-Pink Mounted Points


Shank: φ6.0mm

適用於一般鋼鐵鑄造之鋼鐵製品, 毛邊粗中研磨修飾加工
Designed for grinding of rough edges on die cast, forged steel and other composite materials. Used for general shaping, surface texture and finishing, trimming metal framework.




Unit:mm

型號 Model No.	A1	A2	A3	A4(KA-1)	A5(KA-2)	A6	A11
刃徑 φD	19	25	25	32	19	19	22
刃長 T	55	32	70	32	28	28	50
單價 Price							




型號 Model No.	A12(KA-3)	A13	A14	A15	A21	A22	A23
刃徑 φD	18	28	18	6	25	19	19
刃長 T	32	28	22	27	25	16	25
單價 Price							



型號 Model No.	A24	A25	A26(KA-8)	A31	A32	A33(KA-9)
刃徑 φD	6	25	16	35	25	25
刃長 T	19	-	-	25	16	13
單價 Price						



型號 Model No.	A34	A35(KA-7)	A36	A37
刃徑 φD	38	25	42	32
刃長 T	10	10	10	6
單價 Price				



型號 Model No.	A38(KA-4)	A39	A40	KA-5	KA-6
刃徑 φD	25	19	19	16	32
刃長 T	25	19	-	32	10
單價 Price					

新發售



帶柄砂輪組-3柄

Mounted Points Set

Shank: ϕ 3.0mm / Length: 41~52mm



適用於一般鋼鐵鑄造之鋼鐵製品, 毛邊粗中研磨修飾加工



100支組 / 100pcs/Set

Designed for grinding of rough edges on die cast, forged steel and other composite materials. Used for general shaping, surface texture and finishing, trimming metal framework.




帶柄砂輪組-3柄


Mounted Points Set

適用於一般鋼鐵鑄造之鋼鐵製品, 毛邊粗中研磨修飾加工
標準柄徑 Standard Shank: ϕ 3.0mm
※另可自行選配包裝內容 (OPTION)

AM-210S



另可選購 Options: ϕ 2.34mm



210支組 / 210pcs/Set

型號/Model No.	AM-256A	AM-308A	AM-410A	AM-510A	AM-612A	AM-816A	AM-1016A
尺寸/SIZE	ϕ 2.5	ϕ 3	ϕ 4	ϕ 5	ϕ 6	ϕ 8	ϕ 10
數量/QTY	30	30	30	30	30	30	30



256A	308A	410A	510A	612A	816A	1016A
2.5	3	4	5	6	8	10
6	8	10	10	12	16	16
30B	40B	50B	60B	80B	100B	120B
3	4	5	6	8	10	12
-	-	-	-	-	-	-
308T	310T	412T	710T	813R	1224R	609S
3	3	4	7	8	12	6
8	10	12	10	13	24	9
412J	616J	816J	1016J	612P	815P	1018P
4	6	8	10	6	8	10
12	16	16	16	12	15	18
306K	412K	515K	816K	132E/133E	162E	163E
3	4	5	8	13/13	16	16
6	12	15	16	3 or 2	2	3

WH-Series


陶瓷帶柄砂輪 Ceramic Rubber Points



Shank: ϕ 3.0mm / Grit Size: #60~#320



用途：適用不鏽鋼、銅、鋁、鈦合金等特殊材料拋光
Used for precious metal, stainless steel and metal mold finishing



#60 Orange							
	型號 Model No.	WO-04183	WO-05183	WO-06183	WO-08183	WO-10183	WO-12203
	刃徑 ϕ D	4	5	6	8	10	12
	刃長 T	18	18	18	18	18	20
	單價 Price						
#80 Red							
	型號 Model No.	WR-04183	WR-05183	WR-06183	WR-08183	WR-10183	WR-12203
	刃徑 ϕ D	4	5	6	8	10	12
	刃長 T	18	18	18	18	18	20
	單價 Price						
#120 Blue							
	型號 Model No.	WB-04183	WB-05183	WB-06183	WB-08183	WB-10183	WB-12203
	刃徑 ϕ D	4	5	6	8	10	12
	刃長 T	18	18	18	18	18	20
	單價 Price						
#180 Yellow							
	型號 Model No.	WY-04183	WY-05183	WY-06183	WY-08183	WY-10183	WY-12203
	刃徑 ϕ D	4	5	6	8	10	12
	刃長 T	18	18	18	18	18	20
	單價 Price						
#220 Green							
	型號 Model No.	WG-04183	WG-05183	WG-06183	WG-08183	WG-10183	WG-12203
	刃徑 ϕ D	4	5	6	8	10	12
	刃長 T	18	18	18	18	18	20
	單價 Price						
#320 Purple							
	型號 Model No.	WP-04183	WP-05183	WP-06183	WP-08183	WP-10183	WP-12203
	刃徑 ϕ D	4	5	6	8	10	12
	刃長 T	18	18	18	18	18	20
	單價 Price						