

新發售



鎢鋼滾磨刀組-3柄

Tungsten Carbide Rotary Burr

Shank: ϕ 3.0mm - Length: 38mm Overall Length



高質量精確度的鎢鋼滾磨刀針對木材、塑料、陶瓷、硬化鋼、不鏽鋼或熱處理後的材料，提供各種不同形狀的刀削工具。



The wide variety of shapes and sizes offered is intended to fill the complete needs of anyone with requirement for high quality precision burs. Used for shaping, smoothing and removing hardened steel, stainless steels, fired ceramic, plastics, woods.



鎢鋼滾磨刀組-3柄

Tungsten Carbide Rotary Burr


SCA-210S

高質量精確度的鎢鋼滾磨刀針對木材、塑料、陶瓷、硬化鋼、不鏽鋼或熱處理後的材料，提供各種不同形狀的刀削工具。

Shank: ϕ 3.0mm - Length: 38mm



型號/Model No.	SA-41M	SA-42M	SA-43M	SB-43M	SC-41M	SC-42M	SD-42M	SE-41M	SF-41M	SF-42M	SG-41M	SG-43M	SG-44M	SH-41M	SL-41M	SL-42M	SM-41M	SM-42M	SM-43M	SN-41M	SN-42M
尺寸/Size	1.5	2.5	3	3	2.5	3	3	3	3	3	3	3	3	3	3	3	3	3	3	2.5	3
數量/QTY	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10





鑽石與氮化硼磨棒-3柄

Diamond & CBN Mounted Points

新發明

Shank: ϕ 3.0mm - Length: 45mm



光滑的切口表面，適用高速鑽頭，適用在碳化物、陶瓷、青玉、玻璃、堅硬合金等精密小孔研磨



Smooth cutting surface, high drilling speed.

Used for precision grinding of small holes in carbide, ceramics, sapphires, glass and extra hard alloys.



鑽石與氮化硼磨棒-3柄

Diamond & CBN Mounted Points

光滑的切口表面，適用高速鑽頭。
適用在碳化物、陶瓷、青玉、玻璃、
堅硬合金等精密小孔研磨。

Shank: ϕ 3.0mm / Length: 45mm



BMA-210S

型號/Model No.	10A	15A	20A	25A	30A	20B	30B	10C	15C	20C	25C	30C	20F	30F	30J	15R	20R	30R	30V	20P	30P
尺寸/SIZE	1.0	1.5	2.0	2.5	3.0	2.0	3.0	1.0	1.5	2.0	2.5	3.0	2.0	3.0	3.0	1.5	2.0	3.0	3.0	2.0	3.0
數量/QTY	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10



											
10A	15A	20A	25A	30A	35A	40A	50A	60A	80A	20T	30T
1.0	1.5	2.0	2.5	3.0	3.5	4.0	5.0	6.0	8.0	2.0	3.0
8	8	8	8	10	10	10	10	10	10	10	10

											
10B	15B	20B	25B	30B	40B	50B	60B	80B	15R	20R	30R
1.0	1.5	2.0	2.5	3.0	4.0	5.0	6.0	8.0	1.5	2.0	3.0
1	1.5	2	2.5	3	4	5	6	8	12	12	14

												
10C	15C	20C	25C	30C	35C	40C	50C	60C	20P	30P	60P	30V
1.0	1.5	2.0	2.5	3.0	3.5	4.0	5.0	6.0	7°	10°	26°	3.0
8	8	8	8	10	10	10	10	10	12	15	13	10

												
20F	30F	40F	50F	60F	30J	40J	50J	60J	50G	60G	30Q	60Q
2.0	3.0	4.0	5.0	6.0	3.0	4.0	5.0	6.0	5.0	6.0	3.0	6.0
10	10	10	10	10	15	13	13	13	12	12	5	10

新發售



彈性帶柄海綿輪-3柄

Abrasive Rubber Points

Shank: ϕ 3.0, 6.0mm / Grit Size: #120, #180



Used for finishing aluminum and metal framework, gross reduction and contouring



100支組 / 100pcs/Set

用途：鋁合金與鐵拋光

海棉砂輪本身具30%切削力，70%拋光亮度力，對模具表面與非鐵金屬，均具有拋光研磨能力。不傷表面。



彈性帶柄海綿輪-3柄

Abrasive Rubber Points


用途：鋁合金與鐵拋光

Used for finishing aluminum and metal framework, gross reduction and contouring

Unit:mm

Green Grit: #120

Shank: ϕ 3.0mm Yellow Grit: #180



BNR-200S

型號/Model No.	BNR-03N	BNR-04N	BNR-05N	BNR-06N	BNR-08N	BNR-10N	BNR-12N
尺寸/ SIZE	ϕ 3	ϕ 4	ϕ 5	ϕ 6	ϕ 8	ϕ 10	ϕ 12
數量/ QTY	30	30	30	40	30	30	10



BNR-03N	BNR-04N	BNR-05N	BNR-06N	BNR-08N	BNR-10N	BNR-12N
3	4	5	6	8	10	12
15	15	15	20	20	20	20
3	3	3	3	3	3	3
BNR-6080N	BNR-6010N	BNR-6012N	BNR-6016N	BNR-6020N	BNR-6025N	
8	10	12	16	20	25	
20	25	25	25	25	25	
6	6	6	6	6	6	
BNR-2202N	BNR-2203N	BNR-2204N	BNR-2205N	BNR-2502N		
22	22	22	22	25		
2	3	4	5	2		
3	3	3	3	3		
BNR-2503N	BNR-2504N	BNR-2505N	BNR-6305N	BNR-6306N		
25	25	25	30	30		
3	4	5	5	6		
3	3	3	6	6		



彈性帶柄牛皮輪-3柄

Elastic Mounted Points

新發售

Shank: ϕ 3.0, 6.0mm / Grit Size: #100



100支組 / 100pcs/Set

用途：一般金屬拋光
Used for gross shaping metal framework, and finishing




彈性帶柄牛皮輪-3柄

Elastic Mounted Points

用途：一般金屬拋光
Used for gross shaping metal framework, and finishing

Shank: ϕ 3.0mm / Grit Size: #100



BNS-200S

型號/Model No.	BNS-03	BNS-04	BNS-05	BNS-06	BNS-08	BNS-10	BNS-12
尺寸/SIZE	ϕ 3	ϕ 4	ϕ 5	ϕ 6	ϕ 8	ϕ 10	ϕ 12
數量/QTY	30	30	30	40	30	30	10



BNS-03	BNS-04	BNS-05	BNS-06	BNS-08	BNS-10	BNS-12
3	4	5	6	8	10	12
15	15	15	20	20	20	20
3	3	3	3	3	3	3
BNS-6080	BNS-6010	BNS-6012	BNS-6016	BNS-6020	BNS-6025	
8	10	12	16	20	25	
20	25	25	25	25	25	
6	6	6	6	6	6	
BNS-2202	BNS-2203	BNS-2204	BNS-2205	BNS-2502		
22	22	22	22	25		
2	3	4	5	2		
3	3	3	3	3		
BNS-2503	BNS-2504	BNS-2505	BNS-6305	BNS-6306		
25	25	25	30	30		
3	4	5	5	6		
3	3	3	6	6		

新發售



帶柄砂輪組-3柄

Mounted Points Set

Shank: ϕ 3.0mm / Length: 41~52mm

適用於一般鋼鐵鑄造之鋼鐵製品, 毛邊粗中研磨修飾加工



100支組 / 100pcs/Set

Designed for grinding of rough edges on die cast, forged steel and other composite materials. Used for general shaping, surface texture and finishing, trimming metal framework.



帶柄砂輪組-3柄


Mounted Points Set

適用於一般鋼鐵鑄造之鋼鐵製品,

毛邊粗中研磨修飾加工

標準柄徑 Standard Shank: ϕ 3.0mm

※另可自行選配包裝內容 (OPTION)

 2.5mm 10mm 0.5mm Unit:mm
 另可選購 Options: ϕ 2.34mm


型號/Model No.	AM-256A	AM-308A	AM-410A	AM-510A	AM-612A	AM-816A	AM-1016A
尺寸/SIZE	ϕ 2.5	ϕ 3	ϕ 4	ϕ 5	ϕ 6	ϕ 8	ϕ 10
數量/QTY	30	30	30	30	30	30	30



256A	308A	410A	510A	612A	816A	1016A
2.5	3	4	5	6	8	10
6	8	10	10	12	16	16
308B	408B	508B	608B	808B	1008B	1208B
3	4	5	6	8	10	12
-	-	-	-	-	-	-
308T	310T	412T	710T	813R	1224R	609S
3	3	4	7	8	12	6
8	10	12	10	13	24	9
412J	616J	816J	1016J	612P	815P	1018P
4	6	8	10	6	8	10
12	16	16	16	12	15	18
306K	412K	515K	816K	132E/133E	162E	163E
3	4	5	8	13/13	16	16
6	12	15	16	3 or 2	2	3



帶柄羊毛輪-3柄

White Felt Bobs

新發售

Shank: ϕ 3.0mm / Length: 41~52mm



100支組 / 100pcs/Set

Our Felt Bobs has a multitude of shapes for all those difficult place to buff and polish. Please choose the type of felt bobs you are looking for.

高密度羊毛輪，加鑽石膏或青土拋光劑研磨，材質本身不變形並可保持鋼材亮度無線痕，提供各式各樣形狀的羊毛輪，適用於不同部位研磨拋光。



帶柄羊毛輪-3柄

White Felt Bobs

高密度羊毛輪，加鑽石膏或青土拋光劑研磨，材質本身不變形並可保持鋼材亮度無線痕，提供各式各樣形狀的羊毛輪，適用於不同部位研磨拋光。

Shank: ϕ 3.0mm / Length: 41~52mm



ABR-200S

型號/Model No.	ABR-0310A	ABR-0412A	ABR-0512A	ABR-0615A	ABR-0817A	ABR-1018A	ABR-1220A
尺寸/SIZE	ϕ 3	ϕ 4	ϕ 5	ϕ 6	ϕ 8	ϕ 10	ϕ 12
數量/QTY	30	30	30	40	30	30	10



ABR-0408A	ABR-0509A	ABR-0610A	ABR-0810A	ABR-1014A	ABR-1220A	ABR-1520A
4	5	6	8	10	12	15
8	9	10	10	14	20	20
ABR-2020A	ABR-0408C	ABR-0509C	ABR-0610C	ABR-0810C	ABR-1013C	ABR-1214C
20	4	5	6	8	10	12
20	8	9	10	10	13	14
ABR-1220C	ABR-1520C	ABR-0410J	ABR-0512J	ABR-0616J	ABR-0817J	ABR-1014J
12	15	4	5	6	8	10
20	20	10	12	16	17	14
ABR-1020J	ABR-1220J	ABR-1225J	ABR-08B	ABR-10B	ABR-12B	ABR-18B
10	12	12	8	10	12	18
20	20	25	-	-	-	-
ABR-1014R	ABR-1225R	ABR-1218T	ABR-1218H	ABR-2503E	ABR-2505E	AK300
10	12	12	12	25	25	-
14	25	18	18	3	5	-